View NSN Online: https://aerobasegroup.com/nsn/6750-01-354-1029

EASTMAN KODAK COMPANY -- 123 0432 EKTACOLOR RA DEVELOPER REPLENISHER, PART C -- 6750-01-354-1029

============= Product Identification ========================

Product ID:123 0432 EKTACOLOR RA DEVELOPER REPLENISHER, PART C

MSDS Date:05/09/1997

FSC:6750

NIIN:01-354-1029

MSDS Number: CFFJQ === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US Info Phon

e Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Inform

ation on Ingredients ======= Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 55 - 60% Other REC Limits: NONE RECOMMENDED **OSHA PEL:NOT RELEVANT** ACGIH TLV:NOT RELEVANT Ingred Name: POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Fraction by Wt: 35 - 40% Other REC Limits: NONE RECOMMENDED Ingred Name: POTASSIUM HYDROXIDE (CERCLA) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1 - 5% Other REC Limits: NONE RECOMMENDED OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9596 **EPA Rpt Qt** y:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: SUBSTITUTED PHOSPHONATE/PHOSPHONIC ACID,(1-HYDROXYETHYLIDENE)DI-CAS:2809-21-4 RTECS #:SZ8562100 Fraction by Wt: 100C Vapor Pres:18 @ 68F Vapor Density:0.6 Spec Gravity: 1.415 pH:>13 Solubility in Water: COMPLETE Appearance and Odor: COLORLESS LIQUID - ODORLESS Percent Volatiles by Volume:60-70

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ACIDS

Stability Condition to Avoid: NONE

Haza

rdoue	Decompo	eition	Droducte	·NIONE
TOOUS	Decombo	Silion	Products	

======= Disposal Considerations ============

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. NEUTRALIZE WITH ACID AND FLUSH TO SEWER WITH LARGE AMOUNT OF WATER, IF ALLOWED. SINCE EMPTIED CONTAINERS RETAIN PROD UCT RESIDUE, FOLLOW LABEL WARNINGS EVENEMPTY ONES

Disclaimer (provided with this information by the compiling agencies): This information is formulated f or use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.