

OCTAGON PROCESS INC. -- OCTAGON FORTY BELOW -- 6850-01-435-6471

=====  
Product Identification  
=====

Product ID:OCTAGON FORTY BELOW

MSDS Date:11/08/1996

FSC:6850

NIIN:01-435-6471

MSDS Number: CFFLY

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-313-1187/FAX -1057 (CAROL)

Emergency Phone Num:201-

313-1187/800-424-9300(CHEMTREC)

Preparer's Name:J.J. BURGARD

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANUFACTURER LISTS NOTHING UNDER "INGREDIENTS" IMPLYING  
THAT THERE ARE NO HAZARDOUS INGREDIENTS PER HAZ COM STD.

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

==

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT MAY CAUSE EYE IRRITATION. NO ADVERSE EFFECTS ON SKIN CONTACT OR INHALATION. ACCIDENTAL INGESTION MAY CAUSE SLIGHT STOMACH DISTRESS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:EYES-STINGING SENSATION, REDNESS, IRRITATION. INGESTED-SLIGHT STOMACH DISTRESS.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYE DISEASE MAY BE AGGRAVATED.

=====  
First Aid Measures  
=====

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-FLOOD WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-DO NOT INDUCE VOMITING! IF CONSCIOUS, GIVE 4-8 OZ WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Extinguishing Media:THIS PRODUCT WILL NOT BURN. DLA-HMIS: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:PRODUCT IS SLIPPERY WHEN SPILLED. SPREAD GRANULAR COVER ON AREA. CONTAIN/MINIMIZE DISPERSION. ELIMINATE ALL SOURCES OF IGNITION. IN CONFINED AREAS, WEAR PROPER PROTECTIVE EQUIPMENT (PPE). COMPLY WITH SPILL NOTIFICATION REQUIREMENTS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

=====

Handling and Storage Precautions:ALL USERS SHOULD CONSULT MSDS BEFORE HANDLING PRODUCT. STORE IN A COOL, DRY PLACE AWAY FROM OXIDIZERS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:PROTECT PRODUCT FOR HIGH MOISTURE PICKUP. NOTE (SPILL/RELEASE PROCEDURES): ALL RESPONSE ACTIVITIES MUST COMPLY WITH HAZWOPER (29 CFR 1910.120).

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED WITH NORMAL RECOMMENDED USE.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:RUBBER OR PVC.

Eye Protection:FACESHIELD.

Other Protective Equipment:SLICKER SUIT. PROVIDE EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:N1

Boiling Pt:B.P. Text:210F,99C

Vapor Pres:1.0

Spec Gravity:1.046

Evaporation Rate & Reference: