View NSN Online: https://aerobasegroup.com/nsn/8030-00-597-5367

NATIONAL STARCH AND CHEMICAL CORP -- C-5A ANTI-SEIZE -- 8030-00-597-5367

========= Product Identification ==============

Product ID:C-5A ANTI-SEIZE

MSDS Date:03/27/1996

FSC:8030

NIIN:00-597-5367

MSDS Number: CFJSW === Responsible Party ===

Company Name: NATIONAL STARCH AND CHEMICAL CORP

Address:10 FINDERNE AVE

City:BRIDGEWATER

State:NJ ZIP:08807 Country:US

Preparer's Name: KATHY GRIFFITH

CAGE:85091 === Contract

or Identification ===

Company Name: NATIONAL STARCH AND CHEMICAL CORP

Address:10 FINDERNE AVE

Box:6500

City:BRIDGEWATER

State:NJ ZIP:08807 Country:US

Phone:908-685-5379; FAX:908685-5306

CAGE:85091

======= Composition/Information on Ingredients ========

Ingred Name: GRAPHITE, NATURAL

CAS:7782-42-5

RTECS #:MD9659600 Fraction by Wt: 20.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2.5 MG/M3 ACGIH TLV:2.5 MG/M3

Ingred Name: HYDROTREATED PETROLEUM DISTILLATE

CAS:64742-52-5 RTECS #:PY8035 000

Fraction by Wt: 25.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: COPPER (SARA 313) (CERCLA)

CAS:7440-50-8

RTECS #:GL5325000 Fraction by Wt: 25.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:PETROLEUM DISTILLATE

CAS:64742-18-3 RTECS #:PY8032000 Fraction by Wt: 15.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/STEL 10

Ingred Name: SILICON DIOXIDE

CAS:14808-60-7 RTECS #:VV7330000

Fractio

n by Wt: 0.2%

Other REC Limits: 0.1 MG/M3

OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN:

IRRITATION/ULCERATION/PERFORATION NASAL SEPTUM. INGESTION:

TOXIC/IRRIT/NAUSEA. CHRONIC: METAL FUME FEVER/METALIC

TASTE/SKIN/HAIR DISCOLORATION.

Medical Cond Aggravated by

DERMATOLOGICAL DISORDERS.
======================================
First Aid:EYES: IMMED FLUSH W/LOTS WATER. GET MED AID. SKIN: WASH W/SOAP & WATER. GET MED AID. INHALATION: MOVE TO FRESH AIR. GET MED AID. INGEST: DON'T INDUCE VOMITING. GIVE GLASS WATER/MILK. CALL DR/POISON CO NTROL IMMED. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.
============= Fire Fighting Measures =============
F lash Point Method:PMCC Flash Point:300F,149C Lower Limits:1.0 Upper Limits:6.0 Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE CLOTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS.WATER STREAM MAY CAUSE FROTHING & SPREAD FLAMES. Unusual Fire/Explosion Hazard:MAY FORM EXPLOSIVE MIXTURES W/AIR. CLOSED CONTAINERS MAY RUPTURE W/EXTREME HEAT & EMIT TOXIC GASES.
========= Accidental Release Measures ======
Spill Release Procedures:RECLAIM CLEAN MATERIAL. SWEEP/SHOVEL CONTAMINATED MATERIAL INTO APPROPRIATE WASTE CONTAINER.
=========== Handling and Storage ============
Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. STORE AWAY FROM HEAT. KEEP AWAY FROM CHILDREN. Other Precautions:DON'T REUSE EMPTY CONTAINERS W/O COMMERCIAL CLEANING/RECONDITIONING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:U

Exposure:PREEXISTING PULMINARY AND

SE NIOSH APPROVED DUST/MIST RESPIRATOR. Ventilation:GENERAL VENTILATION.
Protective Gloves:CLOTH OR SYNTHETIC
Eye Protection:SAFETY GLASSES Other Protective Equipment:CLEAN CLOTHING, EYEWASH, SAFETY SHOWER. Work Hygienic Practices:WASH HANDS BEFORE EATING. DON'T EAT PRODUCT. Supplemental Safety and Health NK
======================================
Boiling Pt:B.P. Text:550 TO 4215
Vapor Pres:NA Vapor Density:>AIR
Spec Gravity:1.3017
pH:NA
Viscosity:HIGH
Evaporation Rate & Reference:SLOWER THAN BUAC
Solubility in Water:INSOLUBLE
Appearance and Odor:COPPER COLORED PASTE, SLIGHT PETROLEUM ODOR
========== Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES
STRONG LEWIS/MINERAL ACIDS/STRONG BASES/OXIDANTS/NITRATES/NITRITES/CHLORINATED HYDROCARBONS/CHLORIDES
PALLADIUM/SELENIUM
Stability Condition to Avoid:HEAT, MANGANESE, MAGNESIUM, POTASSIUM CHLORATE, SODIUM CARBONATE, SULFATES, DIVORANE.
=====
======== Disposal Considerations ================
Waste Disposal Methods:ACCORDING TO APPLICABLE FEDERAL/STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.