GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- SILICON POLYMER & SOLVENT 8040-00-927-1513

Product ID:SILICON POLYMER & SOLVENT

MSDS Date:02/06/1996

FSC:8040

NIIN:00-927-1513

Kit Part:Y

MSDS Number: CFJTL === Responsible Party ===

Company Name: GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address: HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Prepare

r's Name: C.E. HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:XTO INC Address:16 CORPORATE DR

**Box:UNKNOW** 

City: EAST SYRACUSE

State:NY

ZIP:13057-1015 Country:US CAGE:1AE59

======= Composition/Information on Ingredients ========

Ingred Name:BENZENE (SARA 313)(VP=75@20C)(LD50=3800MG/

KG RAT,
LC50=10000PPM/7 HR RAT) CAS:71-43-2
RTECS #:CY1400000
Fraction by Wt: 40000MG/KG RAT)(LC50 INHAL >535MG/L)
CAS:68554-67-6 Fraction by Wt: 30.0%
Other REC Limits:NONE RECOMMENDED
Ingred Name:VOC = 690 G/L
RTECS #:999999VO
Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Healt h Hazards Acute and Chronic:INGEST: HARMFUL
(VOMITING/NAUSEA/DIARRHEA/IRRIT) SKIN: DRYING/ABSORPTION. INHAL:
HEADACHE/DIZZINESS/NAUSEA/INCOORDINATION/IRRIT. EYE: IRRIT/TISSUE
DAMAGE. CHRONIC: SKIN/RESP SENSITIZATION. ACUTE TOXIC ANT/POTENTIAL
CANCER HAZARD. TARGETS DERMATITIS/RESP AILMENTS/CNS DAMAGE/LIVER/KIDNEY/CORNEAS/PULMINARY EDEMA.
Medical Cond Aggravated by Exposure:RESPIRATORY, LIVER, KIDNEY.
======================================
First
Aid:INGEST: DON'T INDUCE VOMITING. DILUTE W/102 GLASSES
WATER/MILK. GET MED AID. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. SKIN: REMOVE CONTAM CLOTHES/WASH BEFORE REUSE.
WASH W/SOAP & WATER. GET MED AID. INHAL: GET FRESH AIR. IF NOT
BREATHING GIVE ARTIE RESPIMOLITH-TO-MOLITH). IE TROLIBLE BREATHING

BREATHING GIVE ARTIF RESP(MOUTH-TO-MOUTH) . IF TROUBLE BREATHING GIVE OXYGEN. GET MED AID. EYE: IMMED FLUSH W/LOTS WATER >15 MIN. GET IMMED MED AID.

=========== Fire Fighting Measures ==============

Flash Point

Flash Point:-12F,-24C Autoignition Temp: Autoignition Temp Text: 465F Lower Limits: 1.0 Upper Limits:12.0 Extinguishing Media: ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, REGULAR FOAM, WATER MIST. Fire Fighting Procedures: EXTREMELY FLAMMABLE! USE FULL PROTECTIVE CLOTHING! ======== Accidental Release Measures ============ Spill Release Procedures: WIPE/SCRAPE/SOAK UP ON INERT ABSORBENT. CONTAINERIZE. WEAR PROPER PROTECTIVE EQUIPMENT. REMOVE IGNITION SOU RCES. EVACUATE. INCREASE VENTILATION. ========== Handling and Storage ================ Handling and Storage Precautions: USE GROUND STRAP. STORE IN ORIGINAL CONTAINER

Method:PMCC