Product ID:#600, #634 & #666 ALL BASES & COLORS. MSDS Date:02/26/1996 FSC:8010 NIIN:01-334-4252 MSDS Number: CFJTZ === Responsible Party === Company Name: FIRE RESEARCH LABORATORIES Box:9645 City:ALBUQUERQUE, State:NM ZIP:87119-9645 Country:US Info Phone Num:505-883-8433 Emerg ency Phone Num:800-424-9300 (CHEMTREC) CAGE:OUH50 === Contractor Identification === Company Name: FIRE RESEARCH LABORATORIES Box:9645 City:ALBUQUERQUE State:NM ZIP:87119-9645 Country:US Phone:505-883-8433 CAGE:0FWV2 Company Name: FIRE RESEARCH LABORATORIES Address:5364 PAN AMERICAN FWY NE Box:9645 City:ALBUQUERQUE State:NM ZIP:67102 Country:US Phone:505-883-8433;800-877-3473 CAGE:OUH50

Ingred Name:GLYCOL ETHER EB ACETATE CAS:11

2-07-2 RTECS #:KJ8925000 Fraction by Wt: 4-8% Other REC Limits:NONE RECOMMENDED

Ingred Name:TEXANOL (R) ESTER ALCOHOL CAS:25265-77-7 Fraction by Wt: 4-8% Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 198 G/L RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL: NAUSEA, IRRITATION. SKIN: IRRITATION. EYE: IRRITATION.

Medical Cond Aggravated by Exposure:LUNG DISORDERS.

First Aid:EYE: IMMED FLUSH W/WATER. REMOVE CONTACTS, THEN FLUSH FOR 15 MINUTES, LIFT LIDS, CALL DR. SKIN: RINSE W/SOAP & WATER, CALL DR. INHAL: REMOVE TO FRESH AIR IMMED. GIVE OXYGEN OR ARTIFICIAL RESPIRATION I F REQUIRED. INGEST: GET MED AID.

======= Fire

Flash Point Method:PMCC Flash Point:NA Lower Limits:NE Upper Limits:NE Extinguishing Media:ORGANIC DRY CHEMICAL EXTINGUISHING COMPOUNDS, CARBON DIOXIDE, FOAM, WATER FOG OR ALCOHOL FOAM. Fire Fighting Procedures:USE EMERGENCY EQUIPMENT W/SCBA. CNTNRS MAY EXPLODE W/EXTREME HEAT. MOVE CNTNR FROM FIRE AREA. COOL W/WATER OR FOAM. EVAC IF CNTNR VENTS OR IS DISCOLORED.

Spill Rele

ase Procedures: PLACE LEAKING CONTAINER IN WELL VENTED AREA. DIKE, ABSORB, CONTAINERIZE.

Handling and Storage Precautions: KEEP FROM FREZING. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM CHILDREN.

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS OR FULL FACE AIR SUPPLIED RESPIRATOR.
Ventilation:LOCAL EXHAUST FAN
S. MINIMUM OF TEN AIR CHANGES PER HOUR IS RECOMMENDED.
Protective Gloves:BUTYL, NITRILE, LATEX, PVC.
Eye Protection:PROTECTIVE GLASSES OR GOGGLES.
Other Protective Equipment:FULL FACE AIR SUPPLIED RESPIRATOR.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health NK

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:>AIR Spec Gravity:11-12 pH:NA Solubility in Water:COMPLETELY MISCABLE Appearance and Odor:OPAQUE LIQUID, W/CHARACTERISTIC ODOR.

Stability Indicator/Materials to Avoid:YES ACIDS, OXIDIZING MATERIALS. Stability Condition to Avoid:DO NOT FREEZE. Hazardous Decomposition Products:CARBON OXIDES, HYDROCHLORIIC ACID, NITROGEN OXIDES & HYDROGEN CHLORIDE.

Waste Disposal Methods: DISPOSE OR INCINERATE SOLIDI

## FIED WASTE IN ACCORDANCE W/APPROPRIATE LOCAL/STATE/FEDERAL REGULTIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons ibility for the suitability of this information to their

particular situation.