

STARTEX CHEMICAL INC -- ACETONE -- 6810-00-223-2739

===== Product Identification =====

Product ID:ACETONE

MSDS Date:03/30/1997

FSC:6810

NIIN:00-223-2739

MSDS Number: CFKCT

=== Responsible Party ===

Company Name:STARTEX CHEMICAL INC

Address:5 HACKBERRY LANE

Box:3087

City:CONROE

State:TX

ZIP:77305

Country:US

Info Phone Num:409-539-6244

Emergency Phone Num:409-539-6244/800-424-9300(CHEMTREC)

CAGE:0Y

FV5

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:CSD INC. (PRE 1985 NAME: MATHEWS, INC)

Address:420 SEABOARD DRIVE

Box:City:MATTHEWS

State:NC

ZIP:28105-5073

Country:US

Phone:704-821-9822

CAGE:5W216

Company Name:STARTEX CHEMICAL INC

Address:5 HACKBERRY LANE

Box:3087

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-539-6244

CAGE:0YFV5

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:750PPM/1000STEL;9596

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:TLV= 750 PPM

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

He

alth Hazards Acute and Chronic:CAN CAUSE PRIMARY IRRITATION TO SKIN & EYES ON CONTACT. INHALATION OF VAPORS/MIST MAY CAUSE IRRITATION OF RESPIRATORY TRACT; ANESTHETIC; SERIOUS NERVOUS SYSTEM DEPRESSION. INGESTION MAY CAUSE ABDOMINA L IRRITATION. CHRONIC: NONE SPECIFIED BYMANUFACTURER.

Explanation of Carcinogenicity:ACETONE IS NOT LISTED AS A CARCINOGEN BY NTP, IARC, OR OSHA.

Effects of Overexposure:INHALED-IRRITATION OF RESPIRATORY TRACT, DIZZINESS, STUPOR, DROWSINESS, NAUSEA, HEADACHE, VOMITING.

SKIN-IRRITATION. EYES-IRRITATION. INGESTED-ABDOMINAL IRRITATION, NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:PERSONS WITH SEVERE SKIN, LIVER OR KIDNEY PROBLEMS SHOUL AVOID USE.

=====
First Aid Measures
=====

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. GIVE OXYGE

N OR ARTIFICIAL

RESPIRAT ION AS NEEDED. INGESTED-CONTACT POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY! IF CONSCIOUS, INDUCE VOMITING AS DIRECTED BY PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC

Flash Point:3F,-16C

Autoignition Temp:Autoignition Temp Text:960F

Lower Limits:2.6

Upper Limits:12.8

Extinguishing Media:NFPA CLASS B EXTINGUISHER (CARBON DIOXIDE OR FOAM) FOR CLASS I B LIQUID FIRES.

Fire Fighting Procedures:WEAR

SELF-CONTAINED BREATHING APPARATUS AND FULL BUNKER GEAR. WATER MAY BE EFFECTIVE AS A COOLING AGENT; BUT INEFFECTIVE EXTINGUISHING FIRE.

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE! VAPORS CAN CAUSE FLASH FIRE! CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT. APPLYING TO HOT SURFACES REQUIRES SPECIAL PRECAUTION

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK AT SOURCE. DIKE AREA & CONTAIN. CLEAN UP REMAINDER WITH ABSORBENT MATERIALS. MOP UP & DISPOSE OF. PERSONS WITHOUT PROPER PROTECTION SHOULD BE KEPT FROM AREA UNTIL CLEANED UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED PLACE AWAY FROM SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. PROTECT FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT STORE ABOVE 120F/49C. GROUND CONTAINERS WHEN TRANSFERRING. VAPORS MAY IGNITE EXPLOSIVELY & SPREAD LONG DISTANCES. AVOID BREATHING VAPORS. USE ONLY IN WELL-VENTILATED AREAS. DO NOT GET IN EYES, OR ON SKIN OR CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS SITUATION REQUIRES. USE IAW 29 CFR 1910.134.

Ventilation:USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:RECOMMENDED- RUBBER OR BUTYL (SPILLS)

Eye Protection:SAFETY GLASSES/FACESHIELD

Other Protective Equipment:CLOTHING TO PREVENT PROLONGED OR REPEATED SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER RECOMMENDED.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

DO NOT WEAR

CONTACT LENSES WHEN USING THIS MATERIAL.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:133F,56C

Melt/Freeze Pt:M.P/F.P Text:-139F,-95C

Vapor Pres:186

Vapor Density:2.0

Spec Gravity:0.792

VOC Pounds/Gallon:792

VOC Grams/Liter:6.6

Evaporation Rate & Reference:NONE SPECIFIED BY MFR.

Solubility in Water:APPRECIABLE

Appearance and Odor:WATER-WHITE LIQUID; KETONE ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity D

ata =====

Stability Indicator/Materials to Avoid:YES

ISOLATE FROM OXIDIZERS SUCH AS PERMANGANATES, CHROMATES & PEROXIDES.

Stability Condition to Avoid:ISOLATE FROM OXIDIZERS, HEAT, SPARKS,
ELECTRICAL EQUIPMENT & OPEN FLAME.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE
FROM BURNING.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:RECYCLE OR DISPOSE OF IN ACCO
RDANCE WITH LOCAL,

STATE AND FEDERAL SAFETY & POLLUTION LAWS. IF QUESTIONS EXIST,
CONTACT THE APPROPRIATE AGENCIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent

professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.