View NSN Online: https://aerobasegroup.com/nsn/6810-00-236-5680

QUALCHEM CO AFFIL OF GREEN GLOBE INSUSTRIES INC -- OC828, CUPRIC SULFATE, PENTAHYDRATE -- 6810-00-236-5680

============= Product Identification ========================

Product ID:OC828, CUPRIC SULFATE, PENTAHYDRATE

MSDS Date:04/04/1997

FSC:6810

NIIN:00-236-5680

MSDS Number: CFKCW === Responsible Party ===

Company Name: QUALCHEM CO AFFIL OF GREEN GLOBE INSUSTRIES INC

Address:681 MAIN STREET, BUILDING 12

City:BELLEVILLE

St

ate:NJ ZIP:07109 Country:US

Info Phone Num:201-759-0105

Emergency Phone Num:800-255-3924 910-251-0363

Preparer's Name: UNREADABLE SIGNITURE

CAGE:07XT7

=== Contractor Identification ===

Company Name: NO VENDOR HAS BEEN NAMED FOR THIS LINE.

Box:UNKNOW CAGE:NO672

Company Name: QUALCHEM CO DIV OF GREEN GLOBE INDUSTRIES INC

Address:600 MEADOWLANDS PKY NO 20

Box:City:SECAUCUS

State:NJ ZIP:07094 Country:US

Phone: 800-327-3456 FAX: 201-842-1307

CAGE:07XT7

======== Composition/Information on Ing

redients =======

Ingred Name: CUPRIC SULFATE PENTAHYDRATE

CAS:7758-99-8 RTECS #:GL8900000

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification =============

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRITATION, BLURRED VISION. SKIN:PROLONGED CONTACT MAY IRRITATE, CAUSE DERMATI

TIS.

INHALATION:HIGH VAPOR CONCENTRATION MAY CAUSE HEADACHE, DIZZINESS, ANESTHESIA & OTHER CNS EFFECTS. INGE STION:SMALL AMOUNTS DRAWN INTO LUNGS BYSWALLOWING OR VOMITING CAUSING RESPIRATORY IRRITATION. MAY CAUSE G/I IRRITATION.

- Explanation of Carcinogenicity: THIS MATERIAL HAS NOT BEEN IDENTIFIED AS A CARCINOGEN BY NTP, IARC, OSHA OR ACGIH.
- Effects of Overexposure:EYE:IRRITATION, BLURRED VISION. SKIN:PROLONGED CONTACT;IRRITATION, DERMATITIS. INHALATION:HIGH VAPOR CONC
- ENTRATION; HEADACHE, DIZZINESS, ANESTHESIA & OTHER CNS EFFECTS.
 INGESTION: SMALL AMOUNTS DRAWN IN TO LUNGS BY SWALLOWING OR VOMITING
 CAUSING RESPIRATORY IRRITATION. MAY CAUSE G/I IRRITATION.
- Medical Cond Aggravated by Exposure: MAY AGGRAVATE EXISTING SKIN CONDITIONS.

======== F	First Aid Measures	
------------	--------------------	--

- First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATE
- D CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE 1-2 GLASSES OF MILK OR WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

=======================================	Fire	Fighting I	Measures	=======================================
---	------	------------	----------	---

Flash Point Method:TCC

Flash Point:NONE

Autoignition Temp: Autoignition Temp Text: N/A.

Lower Limits:N/A. Upper Limits:N/A.

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL,

BC/ABC EXTINGUISHERS.

Fire Fighting Procedures:WEAR FULL-FACE SELF CONTAINED NIOSH APPROVE BREATHING APPARATUS (SCBA RECOMMENDED BY NFPA.) KEEP FIRE EXPOSED CONTAINERS COOL W/WATER FOG.

Unusual Fire/Explosion Hazard:MATERIAL MAY RUPTURE DUE TO RELEASE OF WATER FROM CRYSTALS. MATERIAL IS ACIDIC IN WATER. CONTACT W/MAGNESIUM MAY EVOLVE HYDROGEN GAS. DECOMPOSES >600F.

=======================================	Accidental	Release	Measures	=======================================
---	------------	---------	----------	---

Spill Release Procedures: DIKE & CONTAIN. RECOV

ER FREE MATERIAL IF POSSIBLE W/NON FLAMMABLE MATERIAL & PLACE INTO PROPER CONTAINERS FOR DISPOSAL. ALL RESPOSNE ACTIVITIES MUST COMPLY W/HAZWOPER (29CFR1910.120). Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions: PRODUCT IS ACIDIC IN WATER. LICALIZE HIGH CONCENTRATIONS OF THIS PRODUCT MAY CAUSE FISH KILL. NO PERSISTANT EFFECTS WILL RESULTS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE UNDER ANY NORMAL CONDITION OF USE. Ventilation:MFR GAVE NO INFORMATION OF MSDS. SEE SUPP DATA. Protective Gloves: UBBER GLOVES. Eye Protection: FACE SHIELD OR SAFETY GLASSES Other Protective Equipment:MFR GAVE NO INFORMATION OF MSDS. Work Hygienic Practices: PRACTICE HYGENIC METHODS. WASH HANDS BEFORE EATING. AVOID INHALATION OR INGESTION. Supplemental Safety and Health **ENG** INEERING METHODS: "STORE IN COOL DRY PLACE KEEP AWAY FROM FOOD." ========= Physical/Chemical Properties ============ HCC:V7 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:N/A. Melt/Freeze Pt:=110.C, 230.F

Vapor Pres:N/A. Vapor Density:N/A. Spec Gravity:2.2?4C

Evaporation Rate & Deference: N/A.

Solubility in Water:32 GM/100ML

Appearance and Odor:BLUE CRYSTALS, SOLID, NONE

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid

====== Disposal Considerat	tions ========
MAGNESIUM METALS Stability Condition to Avoid:MFR GAVE NO INFO	
. T E S	

·VEC

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.