

MCGEAN-ROHCO INC -- CEE BEE A-276 -- 6850-01-162-2693

=====  
Product Identification  
=====

Product ID:CEE BEE A-276

MSDS Date:05/01/1997

FSC:6850

NIIN:01-162-2693

MSDS Number: CFKSN

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Info Phone Num:404-753-2692

Emergency Phone Num:216-441-4900/800-424-9300(CHEMTREC)

CAGE:8U841

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHANOLAMINE/MONOETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by

Wt: 1 - 5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:3 PPM  
ACGIH TLV:3 PPM/6 STEL; 9596

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, CNS,  
RESPIRATORY SYSTEM. ACUTE- EYE CONTACT MAY CAUSE STINGING OR  
BURNING. PROLONGED OR REPEATED SKIN CONTACT MAY CAU  
SE IRRITATION.  
NOT EXPECTED TO BE A PROBLEM BY INHALATION . INGESTION MAY CAUSE  
NAUSEA, HEADACHE,CNS EFFECTS. CHRONIC- AFFECTS TARGET ORGANS.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, REDNESS, NAUSEA, VOMITING, TEARING,  
HEADACHE  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE  
MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
First Aid Measu  
res  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH  
AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.  
SKIN:FLUSH WITH WATER, THEN WASH SKIN WITH SOAP & WATER. ORAL:IF  
CONSCIOUS, DRINK PLENTY OF WATER. CALL A PHYSICIAN OR LOCAL POISON  
CONTROL CENTER IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:NONE  
Lower Limits:NOT RELEVANT  
Upper Limits:NOT RELEV  
ANT  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS IF NEEDED.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA.  
ABSORB ON SAND, VERMICULITE OR SIMILAR MATERIAL. SW

EEP UP AND PLACE

IN AN APPROPRIATE CONTAINER FOR DISPOSAL. WASH CONTAMINATED SPILL AREA WITH SOAPY WATER, THEN WATER TO REMOVE RESIDUES.

Neutralizing Agent:WEAK ACID

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 30 AND 90F, AWAY FROM ACIDS.

Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY. AVOID EYE AND SKIN CONTACT. DO NOT BREATHE MIST/VAPOR OR FUMES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF TLV FOR ETHANOLAMINE IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR AIR-PURIFYING RESPIRATOR.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP VAPOR OR MIST LEVELS AS LOW AS POSSIBLE.

Protective Gloves:NEOPRENE FOR REPEATED/PROLONGED CONTACT

Eye

Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:B3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:210F,99C

Vapor Pres:18 @ 68F

Vapor Density:0.6

Spec Gravity:1.0

VOC Pounds/Gallon:40

pH:9 - 10

Solubility

in Water:COMPLETE

Appearance and Odor:HAZY YELLOW LIQUID - AMMONIA/PINE ODOR

Percent Volatiles by Volume:98

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. RECYLING IS RECOMMENDED. NEUTRALIZED SOLUTION MAY BE FLUSHED TO SEWER IF PERMITTED. RCRA NUMBER (IF DISCARDED AS RECEIVED): NONE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.