View NSN Online: https://aerobasegroup.com/nsn/6850-01-406-6937

## GRACE, W R & CO/GRACE CONTAINER PRODUCTS -- DARACLEAN 235 -- 6850-01-406-6937

Product ID:DARACLEAN 235

MSDS Date:07/22/1993

FSC:6850

NIIN:01-406-6937

MSDS Number: CFKVD === Responsible Party ===

Company Name: GRACE, WR & CO/GRACE CONTAINER PRODUCTS

Address:55 HAYDEN AVE

City:LEXINGTON

State:MA ZIP:02173 Country:US

Info Phone Num:617-861-6600 FAX # 617-861-1267

Е

mergency Phone Num:617-861-6600 FAX # 617-861-1267

CAGE:LO974

=== Contractor Identification ===

Company Name: GRACE, WR & CO

Address:55 HAYDEN AVE

Box:City:LEXINGTON

State:MA ZIP:02173 Country:US

Phone:781-861-6600

CAGE:0NR92

Company Name: GRACE, WR & CO/GRACE CONTAINER PRODUCTS

Address:55 HAYDEN AVE

**Box:NONE** 

City:LEXINGTON

State:MA ZIP:02173 Country:US

Phone:617-861-6600 FAX # 617-861-1267

CAGE:LO974

Company Name: W.R. GRACE & CO


Box:UNKNOW CAGE:7B576

====== Composition/Information on I

ngredients ======= RTECS #:9999999ZZ Fraction by Wt: NA Other REC Limits: NONE RECOMMENDED Ingred Name: AQUEOUS ALKALINE SOLUTION Fraction by Wt: 100% Other REC Limits: NONE RECOMMENDED ============== Hazards Identification ======================= LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHAL: IRRIT MAY OCCUR IF MATL BECOMES AIR BORNE, EYE: IRRIT UPON DIRECT CONTACT, SKIN: IRRIT UPON DIRECT CONTACT.INGEST:NONE KNOWN.CHRONIC EFFECTS:NONE KNOWN. Effects of Overexposure: INHAL IRRIT, EYE IRRIT, SKIN IRRIT. Medical Cond Aggravated by Exposure: NONE KNOWN. First Aid:INHAL:REMVOE TO FRESH AIR.EYE:IMMED FLUSH EYES W/WATER FOR @LEAST 15MINS.GET MED ATTN.SKIN:WASH AFFECTED AREA W/WATER.IF IRRIT OCCURS & PERSISTS GET MED ATTN.REMOVE CONTAM CLOTHING.INGES T:DILUTE W/WAT ER OR MILK.DONT INDUCE VOMIT.GET MED ATTN. Flash Point: NONE TO BOILING Autoignition Temp: Autoignition Temp Text: NP Lower Limits:NP **Upper Limits:NP** Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM. AVOID WATER IF

POSSIBLE AS WATER MAY CAUSE SPATTERING OF HOT MATL & MAY SPREAD BURNING.

Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER. Unusual Fire/Explosion Hazard: COMBUSTION WILL RESULT IN T



Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:24

Vapor Density:NP Spec Gravity:

PPROX 1.0 H:7.4-8 Viscosity:NP Evaporation Rate & Description of the Color of the C
corrosion Rate:NP ====================================
TRONG OXIDIZERS.DONT MIX W/STRONG ACIDS.DONT MIX W/NITRITES OR NITRILE CONTAINING CMPDS.  Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
lazardous Decomposition Products:C  MBUSTION WILL RESULT IN RELEASE OF  USUAL DECOMPOSITION PRODUCTS INCLUDING OXIDES OF CARBON & NITROGEN.
======== Disposal Considerations ============

Waste Disposal Methods:MATL NOT HAZ WASTE AS DEFINED IN 40CFRSEC 261.3.DISPO OF ALL PRODUCT WASTES & WATER RINSES IAW CURRENT LOC/STATE/FED REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.