View NSN Online: https://aerobasegroup.com/nsn/6810-01-049-0991

FISHER SCIENTIFIC, CHEMICAL DIV. -- HEXYL ALCOHOL, PRACT., 96 %, AC 411655000 6810-01-049-0991

============= Product Identification =================

Product ID:HEXYL ALCOHOL,PRACT.,96 %,AC 411655000

MSDS Date:03/04/1996

FSC:6810

NIIN:01-049-0991

MSDS Number: CFKYR === Responsible Party ===

Company Name: FISHER SCIENTIFIC, CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ ZIP:07410 Country:US Info Phone Nu

m:201-796-7100/703-527-3887 INTERNAT.

Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

Company Name: MOUZON INDUSTRIAL

Address:1530 COMMERICAL CT

Box:City:JONESBORO

State:GA ZIP:30236 Country:US

Phone:770-210--770

CAGE:04EM3

====== Composition/Information on Ingredients =======

Ingred Name: HEXYL ALCOHOL/HEXANOL

CAS:111-27-3

RTECS #:MQ4025000 Fraction by Wt: 98%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ==============

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 720 MG/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE- THE TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN INVESTIGATED. MAY C

AUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION
UPON DIRECT CONTACT. MAY BE HARMFUL IF INGESTE D OR INHALED.
ASPIRATION HAZARD IF SWALLOWED. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity: NONE

Effects of Overexposure:IRRITATION, DRY SKIN, TEARING, BLURRED VISION, REDNESS, DEFATTING, HEADACHE, NAUSEA, VOMITING

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXC ESSIVE EXPOSURES.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES/SKIN:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 2-4 CUPFULS OF MILK OR WATER. GET MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

====		Fire	Fighting	Meas
ures	=======================================	====		

Flash Point:140F,60C

Autoignition Temp: Autoignition Temp Text: 558F

Lower Limits:1.20 Upper Limits:7.70

Extinguishing Media:USE DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR ALCOHOL-RESISTANT FOAM.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS IN PRESSURE DEMAND. USE WATER TO COOL FIRE-EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:FLAMMABLE VAPOR CAN TRAVEL CONSIDERABLE DISTA

