

MOBIL OIL CORP -- TRANS/DRIVE TRN 10 W -- 9150-01-424-7696

===== Product Identification =====

Product ID:TRANS/DRIVE TRN 10 W

MSDS Date:01/01/1995

FSC:9150

NIIN:01-424-7696

MSDS Number: CFKZW

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLONS ROAD

City:FAIRFAX

State:VA

ZIP:22037

Country:US

Info Phone Num:800-662-4525/800-227-0707 X3265

Emergency Phone Num:609-737-4411

Chem

trc Ind/Phone:(800)424-9300

CAGE:3U728

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

Contract Num:SP0450-99-M-B131

CAGE:0PGK2

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Bo

x:City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Phone:504-366-9105  
Contract Num:SP045099MB023  
CAGE:0PGK2  
Company Name:SDB CONSULTANTS LTD  
Address:401 WHITNEY AVE SUITE 120  
Box:City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Phone:504-366-9105  
Contract Num:SP045099MB153  
CAGE:0PGK2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ZINC DITHIOPHOSPHATE  
CAS:19210-06-1  
RTECS #:TE4800000  
= Wt:2.52  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC  
CAS:7440-66-6  
RTECS #:ZG860000  
0  
= Wt:.14  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >2,000 MG/KG.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:U.S. OSHA HAZARD COMMUNICATION  
STANDARD: PRODUCT ASSESSED IN ACCORDANCE WITH OSHA 29 CFR 1910.1200  
AND DETERMINED NOT TO BE HAZARDOUS.  
Explanation of Carcinogenicity:NONE  
Effect



iratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY  
CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

Ventilation:USE IN WELL VENTILATED AREA

Protective Gloves:NO SPECIAL EQUIPMENT REQUIRED.

Eye Protection:SAFETY GOGGLES IF SPLASHING ANTICIPATED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER

GLOVES AND

SHOES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>316.C, 600.8F

Vapor Pres:2.0

Spec Gravity:0.88

Viscosity:40.3CST @40C

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER FLUID - MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXTREME HEAT

Ha

azardous Decomposition Products:CARBON MONOXIDE

===== Ecological Information =====

Ecological:ENVIRONMENTAL DATE AND EFFECTS: NOT ESTABLISHED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY  
IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.  
INCINERATION OR RECYCLING IS RECOMMENDED.

===== MSDS Transport Information =====

Tran

sport Information:NOT REGULATED BY DOT, IMO, OR IATA.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.