

LOCTITE CORP -- 3 OZ FORM-A-GASKET NO 2 OMC, 910032

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-551-1059
MSDS Date: 01/04/1993
MSDS Num: CFMQQ
Product ID: 3 OZ FORM-A-GASKET NO 2 OMC, 910032
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
|
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: TU
Quantitative Expression: 00000000003OZ
UI Container Qty: 0
Type of Container: TUBE

=====
Ingredients
=====

Cas: 1332-58-7
RTECS #: GF1670500
Name: CLAY (KAOLIN)
% Wt: 50-55
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 2 MG/M3 TDUST

Cas: 8050-09-7
RTECS #: VL0480000
Name: ROSIN; (ROSIN ACID)
% Wt: 15-20

Cas: 68439-93-0
Name: CASTOR OIL, POLYMD., OXIDIZED
% Wt: 15-20

Cas: 67-63-0
RTECS #: NT8050000
Name: ISOPROPYL ALCOHOL (SARA 313)
% Wt: 10-15
OSHA PEL: 400 PPM
ACGIH TLV: 400 PPM; 500 STEL

Cas: 8002-43-5
Name: PHOSPHATAMIDES
% Wt: 1-3

RTECS #: 9999999VO
Name: VOLATILE ORGANI
C COMPOUND: 14.2
=====

Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: MODERATELY TOXIC BY INGESTION. EYE IRRITANT. VAPOR ABOVE
TLV IS IRRITATING TO EYES, NOSE AND THROAT AND CAN CAUSE HEADACHE, DIZZINESS,
NAUSEA.

Signs And Symptions

Of Overexposure: NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated By Exposure: SKIN, EYE, AND RESPIRATORY DISORDERS.
First Aid: INGESTION: INDUCE VOMITING. OBTAIN MEDICAL ATTENTION. INHALATION:
REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. SKIN:
WASH WITH SOAP AND WATER. EYE: FLUSH AT LEAST 15 MINUTES WIT H WATER. OBTAIN
MEDICAL ATTENTION.
=====

Handling and Disposal
=====

=====

Spill Release Procedures: REMOVE SOURCES OF IGNITION. MAINTAIN ADEQUATE VENTILATION. SCRAPE UP AS MUCH AS POSSIBLE AND STORE IN CLOSED CONTAINER UNTIL DISPOSAL. RESIDUES MAY BE CLEANED WITH ISOPROPYL ALCOHOL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS. DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS (FP N).

Handling And Storage Precautions: STORE AWAY FROM HEAT AND FLAME.

Other Precautions: AVOID PROLONGED BREATHING OF VAPORS. KEEP AWAY FROM EYES. AVOID PROLONGED SKIN CONTACT.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: 69.0F,20.6C

Lower Limits: 2%

Upper Limits: 12%

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unus

ual Fire/Explosion Hazard: HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION: IRRITATING ORGANIC VAPORS.

=====

Control Measures

=====

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: MUST BE ADEQUATE TO AVOID EXCEEDING TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N)

Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER (FP N).

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====

Physical/Chemical Properties

=====

B.P. Text: 180F,82C

Vapor Pres: 33MM @ 68F

Vapor Density: 2.07

Spec Gravity: 1.5 @ 77F

Evaporation Rate & Reference: 7.7 (ETHER=1)

Solubility in Water: PART

IAL

Appearance and Odor: BLACK PASTE, ALCOHOLIC ODOR.

Percent Volatiles by Volume: 14.2

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE SPECIFIED BY
MANUFACTURER.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Inf
ormation
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

Product ID: 3 OZ FORM-A-GASKET NO 2 OMC, 910032

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 10/15/1997

Status Code: C

Label Date: 10/15/1997

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: EXTREMELY FLAMMABLE. MODERATELY TOXIC BY INGESTION. EYE
IRRITANT. VAPOR ABOVE TLV IS IRRITATING TO EYES, NOSE AND THROAT AND CAN
CAUSE HEADACHE, DIZZINESS, NAUSEA. CH

RONIC: NONE SPECIFIED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person

or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.