

MORTON SALT -- THIOKOL MC-236 BASE COMPOUND POLYSULFIDE SEALANT A-1/2 1, 2 --  
8030-00-723-5343

=====  
Product Identification  
=====

Product ID:THIOKOL MC-236 BASE COMPOUND POLYSULFIDE SEALANT A-1/2 1, 2

MSDS Date:03/05/1996

FSC:8030

NIIN:00-723-5343

Kit Part:Y

MSDS Number: CFMZW

=== Responsible Party ===

Company Name:MORTON SALT

Address:7341 ANACONDA AVE.

City:GARDEN GROVE

State:CA

ZIP:92641

Info

Phone Num:714-373-2837

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO151

=== Contractor Identification ===

Company Name:MORTON INTERNATIONAL AEROSPACE POLYMER SYSTEMS

Address:7341 ANACONDA AVENUE

Box:City:GARDEN GROVE

State:CA

ZIP:92641

Country:US

Phone:714-373-2837

CAGE:0U317

Company Name:MORTON SALT

Address:100 N RIVERSIDE PLASA

Box:City:CHICAGO

State:IL

ZIP:60606-1597

Country:US

Phone:312-807-2000

CAGE:KO151

=====  
Composition/Information on Ingredients  
=====

Ingred N

ame:CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Fraction by Wt: 35.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TOLUENE (SARA 313) (CERCLA) (LD50 5000MG/KG ORAL RAT; LD50  
12124 MG/KG DERMAL RABBIT; LC50 5320 PPM/8 HR INHAL MOUSE)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 13.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/STEL 150

ACGIH TLV:100 PPM/STEL 150

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SILICA, CRYSTALLINE - QUA  
RTZ

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: 0.22%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1 MG/M3

ACGIH TLV:0.1 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 2.2%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EYE: INJURY, BURNS. SKIN: IRRITATI  
ON,

DEFATTING, DERMATITIS, ABSORPTION. INHAL: IRRITATION (DIZZINESS,  
HEADACHE, INCOORDINATION, NAUSEA, VOMITING, GI UPSET. INGEST: GI  
IRRIT, NAUSEA, VOMIT, DIZZINESS, FAINTNESS, DROWSINESS,  
INCOORDINATION, ATAXIA. MAY EFFECT LIVER/KIDNEY, CNS PERIPHERIAL  
NERVOUS SYSTEM, EYES, SKIN.

Explanation of Carcinogenicity:CRYSTALLINE SILICA IS LISTED BY IARC.

Medical Cond Aggravated by Exposure:CENTRAL/PERRIFERAL NERVOUS SYSTEM &  
SKIN.

=====  
===== First Aid Measures

=====

First Aid:EYE: IMMED FLUSH W/WATER >15 MIN. LIFT LIDS. GET IMMED MED AID. SKIN: REMOVE CONTAM CLOTHES/SHOES WASH BEFORE REUSE. WASH W/SOAP/WATER. CALL DR. INHAL: GET FRESH AIR. GET IMMED MED AID. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION (MOUTH-TO-MOUTH). INGEST: GET MED AID. INDUCE VOMIT AT INSTRUCTION OF DR. DONT GIVE ANYTHING BY MOUTH TO UNCONSCIOUS/DROWSY/NO GAG REFLEX PERSON.

===== Fire Fighting Measures =====  
==

Flash Point Method:SCC

Flash Point:91.0F,32.8C

Autoignition Temp:Autoignition Temp Text:NE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:SMALL FIRE: DRY CHEM, CO2, HALLON, FOAM, STEAM, WATER FOG. LARGE FIRE: WATER SPRAY, FOG, ALCOHOL FOAM.

Fire Fighting Procedures:USE NIOSH APPROVED POSITIVE PRESSURE SCBA W/FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:SEALED CNTNRS MAY RUPTURE IF EXPOSED TO HIGH TEMP. COOL CONTAINERS W/WATER. VAPORS >AIR, TRAVEL LONG DISTANCE & IGNITE.

===== Accidental Release Measures =====

Spill Release Procedures:STOP LEAK IF SAFE. DIKE. RECOVER W/PUMP VACUUM TRUCK & EXPLOSION PROOF EQUIPMENT. ABSORB. CONTAINERIZE. DISPOSE. USE PROTECTIVE EQUIPMENT. REMOVE IGNITION SOURCES. EVACUATE/VENTILATE AREA. USE SUPPLIED AIR RESPIRATOR OR SCBA IN ENCLOSED SPACES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL-VENTED AREA

AWAY FROM IGNITION SOURCES. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. HOT VAPORS MAY IGNITE WHEN MIXED W/AIR

Other Precautions:DONT CONTAMINATE PRODUCT. EVALUATE PROPOSED HIGH TEMPERATURE USE THOROUGHLY. SUPPORT/GROUND CNTNRS PRIOR TO USE. USE NONSPARKING TOOLS. IF WARM, OPEN BUNG SLOWLY TO RELEASE PRESSURE. CONTAINER RETAINS RESIDUE. DONT REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED

EQUIPMENT. HIGH AIRBORNE

CONCENTRATIONS MAY REQUIRE SCBA/SUPPLIED AIR RESPIRATOR.

Ventilation:GENERAL DILUTION: ACCEPTABLE. LOCAL EXHAUST: RECOMMENDED.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL GOGGLES/GLASSES W/SIDE SHIELDS.

Other Protective Equipment:EYEWASH FACILITY & PROTECTIVE CLOTHING.

Work Hygienic Practices:WASH WELL AFTER HANDLING & BEFORE EATING,  
DRINKING, SMOKING, USING RESTROOM. WASH CONTAM CLOTHES BEFORE  
REUSE.

Supplemental Safety and Health

MORE INFORMATION

ON FILE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.31

pH:NA

Viscosity:100-500 POISE

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE

Appearance and Odor:LIGHT COLORED OFF WHITE PASTE SULFIDE ODOR

Percent Volatiles by Volume:14.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS

Hazardous Decomposition

Products:FLAMMABLE SOLVENT VAPORS, PHENOLICS,  
OXIDES OF SULFUR, SMOKE, SOOT, CO<sub>2</sub>, CO & HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:IF UNUSED, PRODUCT IS IGNITABLE. EPA #D001.  
MANAGE AT PERMITTED FACILITY ACCORDING TO APPLICABLE REGS. CALL  
APPROP AGENCIES FOR MORE GUIDANCE. RECYCLE IF FEASIBLE.  
INCINERATE/TREAT IF NOT.

Disclaimer (provided with this information by the compiling agencies):

This information is for

culated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.