View NSN Online: https://aerobasegroup.com/nsn/8010-01-141-2419

Product ID:CARCB- ACTIVATOR COMP. B MSDS Date:05/14/1997 FSC:8010 NIIN:01-141-2419 Kit Part:Y MSDS Number: CFNCH === Responsible Party === Company Name: NILES CHEMICAL PAINT CO. Address:225 FORT STREET Box:307 City:NILES State:MI ZIP:49120 Country:US Info Phone Num:616-683-3377 **Emergency Pho** ne Num:219-236-5856 Preparer's Name: MICHAEL LICHATOWICH CAGE:02388 === Contractor Identification === Company Name: NILES CHEMICAL PAINT Address:225 FORT STREET Box:307 City:NILES State:MI ZIP:49120 Country:US Phone:616-683-3377/219-236-5856 CAGE:02388

Ingred Name:HOMOPOLYMER OF HDI (ORAL LD50 > 40000MG/KG RAT LC50 INHAL 137 TO 1150 MG/M3/RAT) VP = 7.5X10-5 @ 20C CAS:28182-81-2 RTECS #:NQ9170000 Fraction by Wt: 75.0% Other REC Limits:NONE RECOMMENDED

Ingred Name: DIISOCYANATE (HEXAMETHYLENE DIISOCYANATE) (CERCLA) CAS:822-06-0 RTECS #:MO1740000 Fraction by Wt: 15 MIN. LIFT LIDS, CALL DR/OPHTHALMOLOGIST. SKIN: REMOVE CONTAM CLOTHES. WASH THOROUGHLY W/SOAP (GREEN TINCTURE SOAP RECOMMENDED) & WATER UNDER SAFETY SHOWER, GET MED AID. INHAL: MOVE TO FRESH AIR. GIVE OXY/ARTIF RESP AS NEEDED. CALL DR. INGEST: DONT INDUCE VOMIT, GIVE 1-2 GLASSES MILK/WATER. NOTHING BY MOUTH TO UNCONCIOUS/CONVULSING PERSON. CALL DR. Flash Point Method:SCC Flash Point:91.0F,32.8C Autoignition Temp: Autoignition Temp Text: NE Lower Limits:1.0 Upper Limits:7.6 Extinguishing Media: DRY CHEMICAL, FOAM, ALCOHOL FOAM, CO2. Fire Fighting Procedures:WEAR FULL EMERGENCY EQUIPMENT W/SCBA & PROTECTIVE CLOTHING. VAPORS >AIR, BUILDUP, TRAVEL ALONG GROUND & FLASH BACK. Unusual Fire/Explosion Hazard: HDI/OTHER HAZARDOUS VAPORS MAY BE GENERATED. CLOSED CONTAINER MAY EXPLODE W/EXTREME HEAT OR BURST W/WATER. Spill Release Procedures: EVAC/VENT AREA, ELIMINATE IGNITS. DIKE. NOTIFY AUTHORITIES IF NECESSARY OR IF NEEDED. ABSORB. DECONTAM. ALLOW TO REACT >10 MIN. COLLECT IN OPEN CNTNR. ADD MORE DECONTAM SOLUTION, REMOVE TO SAFE PLACE. COVER LOOSELY. ALLOW TO STAND 24-48 HRS. ** Neutralizing Agent: TERIGITOL 20% WATER 80% AMMONIA 3-8% DETERGENT 2% WATER 9 0-95%. Handling and Storage Precautions: KEEP AWAY FROM IGNITS. GROUND CNTNRS DURING STORAGE/TRANSFER. STORE IN TIGHTLY CLSD CNTNRS TO PREVENT MOISTURE CONTAM. DONT RESEAL IF CONTAM *** Other Precautions: MAY BE REQUIRED. *** SUSPECTED. STORE BETWEEN 50 & 81F.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:AIR PURIFYING OR FRESH AIR SUPPLIED. Ventilation:LOCAL EXHAUST. EXHAUST AIR MAY NEED TO BE CLEANED BY SCRUBBER OR FILTERS TO REDUCE CONTAMINATION. Protective Gloves:CHEMICAL RESISTANT, NITRILE, NITON. Eye Protection:SPLASH GOGGLES/FACE SHIELD. Other Protective Equipment:APPROPRIATE CLOTHING & SKIN CREAMS. Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING/USING RESTROOM SMOKE ONLY IN SMOKING AREA. DONT WEAR CONTACTS. Supplemental Safety and Health MORE INFORMATION ON FILE. **WASH SPILL AREA W/DECOMTAM SOLUTION. WASH CONTAM CLOTHES BEFORE REUSE.

Boiling Pt:B.P. Text:250 TO 289F Vapor Density:>AIR. Spec Gravity:1.061 pH:NA Viscosity:MPAS 183 Evaporation Rate & amp; Reference:400F.

Waste Disposal Methods: IN ACCORDANCE W/FEDERAL/STATE/LOCAL REGULATIONS. INCINERATION PREFERRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.