View NSN Online: https://aerobasegroup.com/nsn/7930-01-399-5275

Product ID:BRASS & METAL POLISH. MSDS Date:08/03/1995 FSC:7930 NIIN:01-399-5275 **MSDS Number: CFNGN** === Responsible Party === Company Name: WERTH SANITARY SUPPLY COMPANY, INC. Address:1561 PIONEER WAY **City:EL CAJON** State:CA ZIP:92020 Country:US Info Phone Num:800-535-5053 **Emergency Ph** one Num:800-535-5053 CAGE:5T372 === Contractor Identification === Company Name: WERTH SANITARY SUPPLY CO INC Address:1561 PIONEER WAY Box:City:EL CAJON State:CA ZIP:92020-1637 Country:US Phone:800-535-5053/619-440-2000 CAGE:5T372

Ingred Name:CITRUS TERPENE CAS:5989-27-5 RTECS #:GW6360000 Fraction by Wt: 10-20.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE CAS:102-71-6 RTECS #:KL9275000 Fraction by Wt: 1-5.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER CAS:34590-94-8 RTECS #:JM1575000 Fraction by Wt: 1-5.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:50 PPM ACGIH TLV:50PPM

Ingred Name:STARYL PROPIONATE Fraction by Wt: 1-5.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS) CAS:68476-85-7 RTECS #:SE7545000 Fraction by Wt: 5-10.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name:VOC = 27.0% RTECS #:999 9999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION. INHAL: IRRITATION, DIZZINESS, NAUSEA, CNS EFECTS. INGEST: IRRITATION, NAUSEA, VOMIT, DIARRHEA & CHEMICAL PNEUMONITIS.

======= First Aid Mea

First Aid:EYE: FLUSH W/LARGE AMOUNTS OF COOL RUNNING WATER FOR >15 MINUTES, LIFT LIDS. GET IMMED MED AID. SKIN: WASH W/SOAP & WATER, GET MED AID. INHAL: REMOVE TO FRESH AIR. GET IMMED MED AID. IF BREATHING STOP S, GIVE ARTIFICIAL RESPIRATION. INGEST:DONT INDUCE VOMIT, GET IMMED MED AID.

Flash Point Method:TOC Flash Point:130F,54C Extinguishing Media:FOAM, CO2, DRY CHEMICAL. Fire

Fighting Procedures: USE SCBA & PROTECTIVE CLOTHING. COOL FIRE
EXPOSED CONTAINERS TO PREVENT RUPTURE.
Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST AT ABOVE 120F.

Spill Release Procedures: ALLOW PROPELLANT TO EVAPORATE. MAINTAIN LOCAL EXHAUST & VENTILATION. ELIMINATE IGNITS. ABSORB, SCOOP UP, WASH AREA TO PREVENT SLIPPING.

Handling and Storag e Precautions:KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL & INSTITUTIONAL USE ONLY. STORE IN COOL, DRY AREA AWAY FROM HEAT/OPEN FLAME. DONT STORE >120F.

Respiratory Protection:NONE NEEDED. Ventilation:LOCAL EXHAUST. Protective Gloves:NONE NEEDED. Eye Protection:NONE NEEDED. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:ABOUT 210F Vapor Pr es:60.0 Vapor Density:>1.0 Spec Gravity:1.055 pH:NA Solubility in Water:COMPLETE. Appearance and Odor:MILKY WHITE FOAM, W/CITRUS FRAGRANCE.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:CO, CO2.

Waste Disposal Methods: IN ACCORDANCE W/FEDERAL/STATE/LOCAL REGULATIONS. AEROSOL CANS WHEN EMPTY & DEPRESSU

RIZED THROUGH NORMAL USE POSE NO DISPOSAL HAZARD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suita bility of this information to their particular situation.