

ITW DEVCON/ A DYKEM COMPANY -- 71912-0351 SAFETAP PLUS -- 9150-01-386-7693

=====  
Product Identification  
=====

Product ID:71912-0351 SAFETAP PLUS

MSDS Date:02/02/1997

FSC:9150

NIIN:01-386-7693

MSDS Number: CFRKB

=== Responsible Party ===

Company Name:ITW DEVCON/ A DYKEM COMPANY

Address:8501 DELPORT DRIVE

City:ST. LOUIS

State:MO

ZIP:63114-5905

Country:US

Info Phone Num:800-452-5823

Emergency Phone

Num:800-424-9300(CHEMTREC)

Preparer's Name:DEBBIE MAKITA

CAGE:98148

=== Contractor Identification ===

Company Name:INDUSTRIAL SUPPLY CORP

Address:1905 WESTWOOD AVE

Box:6356

City:RICHMOND

State:VA

ZIP:23230

Country:US

Phone:804-355-8041

CAGE:6A908

Company Name:ITW DYKEM/ DYMON

Address:805 E OLD 56 HWY

Box:City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:800-443-9536

CAGE:98148

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PER MSDS:PRODUCT CONTAINS NO COMPONENTS

SUBJ TO REPORTING  
REQMTS OF OSHA'S HAZ COMM STD 1910.1200.  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION RISKS ARE UNLIKELY AT  
NORMAL ROOM TEMPERATURES. AT ELEVATED TEMPERATURES EYE, NOSE &  
THROAT IRRITATION MAY OCCUR. SKIN & E  
YE CONTACTS RISKS ARE SLIGHT  
IRRITATION. SKIN ABSORPTION RISKS ARE SLIGHT IRRITATION. INGESTION  
HEALTH RISKS ARE SLIGHT NAUSEA & VOMITING. CHRONIC: NO KNOWN  
EFFECTS.  
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NTP/IARC/OSHA/  
ACGIH:NO.  
Effects of Overexposure:INGESTED-NAUSEA, VOMITING. SKIN-IRRITATION.  
EYES-IRRITATION. INHALATION-POSSIBLE IRRITATION OF EYES, NOSE,  
THROAT FROM VAPORS PRODUCED AT HIGH TEMPERATURES.  
Medical Cond Aggravated by Exposure:SKIN DISORD  
ERS.

===== First Aid Measures =====

First Aid:EYE-FLUSH WELL WITH WATER. CONTACT PHYSICIAN IF IRRITATION  
PERSISTS. SKIN-WASH WITH SOAP & WATER. INHAL-NO EMERGENCY CARE  
ANTICIPATED UNDER NORMAL CONDITIONS. INGEST-DO NOT INDUCE VOMITING.  
CONTACT PH YSICIAN. IF VOMITING OCCURS KEEP HEAD BELOW HIPS TO  
PREVENT ASPIRATION OF LIQUID INTO LUNGS.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Poin  
t:>200F,>93C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:WATER, CO2, DRY CHEMICAL, FOAM, ALCOHOL FOAM.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED  
BREATHING APPARATUS IN CONFINED AREAS.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN & EYE CONTACT. MOP UP OR USE  
ABSORBENT MATERIAL, WASH AREA, DISCARD IN SUITABLE CONTAINERS

RS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED AT NORMAL HANDLING TEMPERATURES.

Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.

SE.

Protective Gloves:CHEMICAL RESISTANT-PVC.

Eye Protection:SAFETY GLASSES, SPLASH PROOF GOGGLES.

Other Protective Equipment:PROTECTIVE GEAR AS REQUIRED TO MINIMIZE SKIN CONTACT. EYE BASH, SAFETY SHOWER.

Work Hygienic Practices:FOLLOW CURRENT HMIS REGULATIONS.

Supplemental Safety and Health

NEW RECORD PRODUCED BECAUSE OF USE OF NEW/DIFFERENT MFR PART NUMBER & TRADE NAME. MSDS RECEIVED PER SOLICITATION/CONTRACT NUMBER(S) SP0400-97-T6496/SP0450-97-MN625 FROM CAGE 6A908.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:163F,73C

Vapor Density:>1

Spec Gravity:1.01

VOC Grams/Liter:.09

Evaporation Rate & Reference: