View NSN Online: https://aerobasegroup.com/nsn/4940-01-131-1915

CHEMENCE INC -- ANACURE ETHYL CYANOACRYLATE ADHESIVE, RITE-LOCK EZ 100 - 4940-01-131-1915

============= Product Identification ==================

Product ID:ANACURE ETHYL CYANOACRYLATE ADHESIVE, RITE-LOCK EZ 100

MSDS Date:09/01/1997

FSC:4940

NIIN:01-131-1915

Kit Part:Y

MSDS Number: CFTGN === Responsible Party ===

Company Name: CHEMENCE INC Address: 6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA ZIP:30201 Country:US

Info P

hone Num:770-664-6624 / FAX 6620 Emergency Phone Num:770-664-6624

CAGE:0ZDS4

=== Contractor Identification === Company Name:CHEMENCE INC Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA ZIP:30201 Country:US

Phone:404-664-6624

CAGE:0ZDS4

Company Name: EUR-PAC CORP.

Address:112 PORTER ST Box:City:WATERBURY

State:CT ZIP:06708 Country:US

Phone:203-756-0102 / FAX 0103

CAGE:8B805

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL CYANOACRYLATE/CYANOETHYL ACRYLA

ΤE CAS:106-71-8 RTECS #:AT1500000 Fraction by Wt: 80- 100%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POLYMERIC THICKENER/THICKENING AGENT

Fraction by Wt: 0 - 20%

Other REC Limits: NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 180 MG/KG (RTECS)

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRAT

ORY

AND GASTROINTESTINAL TRACTS. ACUTE- EYE CONTACT MAY CAUSE IRRITATION, SKIN CONTACT MAY CAUSE IRRITATION, DANGER, BONDS EYES AND SKIN IN SECONDS. INHALATION IS UNKN OWN. INGESTION IS UNKNOWN. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:IMMEDIATELY FLU SH WITH


WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN: IF BONDED, GENTLY PEEL APART US ING BLUNT OBJECT. DO NOT FORCE FINGERS SEPARATE. WASH SKIN WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY.

Flash Point:181F,83C

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.

USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIV



m	Δ.	Λ
	_	

	Stability and Reactivity Data		
Stability Indicator/Materials to Avaid-VES			

Stability Indicator/Materials to Avoid:YES
WATER, ALCOHOLS, AMINES, PEROXIDES
Stability Condition to Avoid:FLAMES, EXCESSIVE HEAT
Conditions to Avoid Polymerization:HIGH TEMPERATURES, WATER, AMINES,
ALCOHOLS AND PEROXIDES

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. CONTRACT WITH A LICENSED WASTE DIS POSAL

FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.