View NSN Online: https://aerobasegroup.com/nsn/6850-01-415-0559

INTEX CHEMICAL INC/EZE PRODUCTS, INC. -- 431 -- 6850-01-415-0559

============= Product Identification ========================

Product ID:431

MSDS Date:10/15/1993

FSC:6850

NIIN:01-415-0559

MSDS Number: CFTHT === Responsible Party ===

Company Name: INTEX CHEMICAL INC/EZE PRODUCTS, INC.

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648

Country:US

Info Phone Num:803-879-7100 OR 803-297-4246

Emergency Phone

Num:803-879-7100 OR 803-297-4246

CAGE:78304

=== Contractor Identification ===

Company Name: INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648 Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM HYDROCARBON/MINERAL SPIRITS

CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 90- 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS,

RESPIRATORY & GI TRACTS. ACUTE- CAN CAUSE EYE IRRITATION & BURNING. REPEATED/PROLONGED SKIN CONTACT CAN CAUSE DEFATTING. HIGH VAPOR CONCENTRATIONS MAY CAUSE RESPIRATORY I RRITATION, CNS

DEPRESSION.

UNCONSCIOUSNESS & DEATH. INGESTION MAY CAUSE VOMITING. ASPIRATION HAZARD. CHRONIC- DERMATITIS

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, NAUSEA, SKIN DRYNESS, TEARING, BLURRED VISION, ITCHING, BURNING, UNCONSCIOUSNESS, DEATH

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

 First Aid Mossures	
First Aid Measures	

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK WATER. SEEK MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION.

 Fire Fighting Measures	

Flash Point Method:TCC Flash Point:104F,40C Lower Limits:0.8% Upper Limits:7.0%

Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IG

CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND OR VERMICULITE. TRANSFER TO DISPOSAL CONTAINER USING NON-SPARKING TOOL S. PREVENT LIQUID FROM ENTERING SEWERS/WATERWAYS. Neutralizing Agent:NOT RELEVANT
andling and Storage ====================================
Handling and Storage Precautions:STORE IN COOL, VENTILATED AREA, AWAY FROM FLAMES, SPARKS, HOT SURFACES AND STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions:AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. KEEP OUT OF REACH OF CHILDREN. DO NOT INGEST.
====== Exposure Controls/Personal Protection =========
Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:USE EXPLOSION-PROOF VENTILATION EQUIPMENT TO CONTROL VAPOR CONCENTRATIONS. Protective Gloves:NITRILE FOR REPEATED/PROLONGED CONTACT Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RI SK OF EXPOSURE. Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:F4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:315F,157C Vapor Pres:8 @ 77F Vapor Density:4.7 Spec Gravity:0.750 Solubility in Water:SLIGHTLY SOLUBLE Appearance and Odor:CLEAR, THIN LIQUID - MILD SOLVENT ODOR Percent Volatiles by Volume:90-100
========= Stab

NITION AND FLASH BACK.

ility and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH HEAT, FLAMES, SPARKS, HOT SURFACES
Hazardous Decomposition Products:SMOKE, CARBON MONOXIDE, CARBON DIOXIDE
MAY BE FORMED DURING COMBUSTION.

======= Disposal Considerations ============

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. INCINERATION IS RECOMMENDED.

SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTA INER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profession al advice to verify and assume responsibility for the suitability of this information to their particular situation.