

CONCORD CHEMICAL CO INC -- WAX AIRCRAFT, 1600 -- 7930-01-323-2005

=====
Product Identification
=====

Product ID:WAX AIRCRAFT, 1600

MSDS Date:02/11/1997

FSC:7930

NIIN:01-323-2005

MSDS Number: CFWSJ

=== Responsible Party ===

Company Name:CONCORD CHEMICAL CO INC

Address:17TH FEDERAL ST

City:CAMDEN

State:NJ

ZIP:08105

Country:US

Info Phone Num:609-966-1526

Emergency Phone Num:609-966-1526

Preparer's N

ame:JOHN BOYLE

CAGE:84748

=== Contractor Identification ===

Company Name:CONCORD CHEMICAL CO INC HARLEY CHEMICALS DIV

Address:17TH AND FEDERAL STS

Box:City:CAMDEN

State:NJ

ZIP:08105

Country:US

Phone:609-966-1526

CAGE:84748

=====
Composition/Information on Ingredients
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 95%

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9495

=====
Hazards Identification
=====

LD50 LC50 Mix

ture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES & SKIN: MAY CAUSE IRRITATION.

INHALATION: MAY CAUSE RESPIRATORY IRRITATION, LOSS OF BREATH.

INGESTION: MAY CAUSE IRRITATION OF THE DIGESTIVE TRACT, NERVOUS SYSTEM DEPRESSION.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:EYES: STINGING, TEARING, REDNESS. SKIN: DRYING, MILD IR

RITATION, REDNESS. INHALATION: LOSS OF BREATH.

Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISORDERS, PRE-EXISTING SKIN DISORDERS.

=====
First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES, SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER, IF IRRITATION PERSISTS CONSULT DOCTOR. INHALATION: MOVE TO FRESH AIR, IF BREATHING IS DIFFICULT SEEK IMMEDIATE MEDICAL ATTENTION. INGESTION: SEEK IMMEDIATE MEDICAL HELP.

=====
Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:125F,52C

Lower Limits:1.2%

Upper Limits:7.0%

Extinguishing Media:DRY CHEMICAL, CO*2, FOAM.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . H*2O SPRAY MAY BE USEFUL IN DISPERSING FLAMMABLE VAORS.

Unusual Fire/Explosion Hazard:TREAT AS A FLAMMABLE SOLVENT FIRE. AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING PURPOSES.

=====
Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL, REMOVE ALL SOURCES OF IGNITION. USE RESPIRATORY PROTECTION. MOP UP WITH ABSORBENT MATERIAL & PLACE IN APPROVED CONTAINER FOR DISPOSAL.

Neutralizing Agent:NOT APPLICABLE.

=====
Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED, STORE IN COOL AREA.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME.

=====

= Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED, CANISTER TYPE RESPIRATOR.

Ventilation:USE IN WELL VENTILATED AREA WITH LOCAL EXHAUST.

Protective Gloves:RUBBER OR NEOPRENE GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:ANSI APPRVD EMER EYE WASH & DELUGE SHOWER .

CLOTHING SUFFICIENT TO PREVENT CONTACT WITH BARE SKIN.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE S

PECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:370F,188C

Melt/Freeze Pt:M.P/F.P Text: