

COURTAULDS AEROSPACE, INC -- PR1435, 14351 ACCELERATOR -- 8030-00-105-0823
===== Product Identification =====

Product ID:PR1435, 14351 ACCELERATOR

MSDS Date:12/12/1996

FSC:8030

NIIN:00-105-0823

Kit Part:Y

MSDS Number: CFWTS

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM DICHROMATE (SARA 313)

CAS:14307-33-6

RTECS #:HX7630000

Fraction by Wt: 20%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:STEL 0.1 MG/M3

ACGIH

TLV:0.05 MG/M3

Ingred Name:DIMETHYL ACETAMIDE (VP = 2 MMHG)

CAS:127-19-5

RTECS #:AB7700000

Fraction by Wt: 40%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 PPM SKIN

ACGIH TLV:10 PPM SKIN

Ingred Name:WATER (NON HAZ.)

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDRATED ALUMINUM SILICATE (NON HAZ.)

CAS:1335-30-4

Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM ALUMINUM SILICATE (NON HAZ.)

CAS:8031-18-3

Other REC Limits:NONE RECOMMENDED

Ingred Name:CA

RBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE/COVER SPILL W/NONOXIDIZABLE ABSORBENT.
SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON RESIDUE.

===== Handling and Storage =====

Handling and Storage Precautio

ns:DUE TO TOXICITY BY SKIN ABSORPTION,

AVOID ALL SKIN CONTACT.

Other Precautions:GLOVES ARE NOT ADEQUATE PROTECTION FOR IMMERSION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED
RESPIRATOR

Ventilation:GENERAL

Protective Gloves:NITRILE/BUTYL/NATURAL RUBBER

Eye Protection:CHEMICAL GOGGLES OR FULL FACE SHIELD.

Other Protective Equipment:NITRILE/BUTYL/NATURAL RUBBER/POLYETHYLENE
APRON OR COVERALLS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING
OR EATING.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 520F
Vapor Density:>AIR
Spec Gravity:1.377
Evaporation Rate & Reference:UNAVAILABLE
Appearance and Odor:BLACK PASTE
Percent Volatiles by Volume:82

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
EASILY OXIDIZABLE MATERIALS.
Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN, CHROMIUM
COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA # D-007 HAZARDOUS WASTE. DISPOSE IN
ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.