

LOCTITE CORPORATION -- FORM-A-GASKET (R) HIGHTEMP NO. 1372 80088 137

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-599-7753
MSDS Date: 01/22/1996
MSDS Num: CFWXV
Product ID: FORM-A-GASKET (R) HIGHTEMP NO. 1372 80088 1372W SEALANT
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT
BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Info Phone Number: 860-571-5100 TELEX: 275207
Emergency Phone Number: 860-571-5100
Preparer's Name: STEPHEN REPETTO
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
=====

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100
=====

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: TU
Quantitative Expression: 00000000007OZ
UI Container Qty: K
=====

=====
Ingredients
=====

Cas: 67-63-0
RTECS #: NT8050000
Name: ISOPROPYL ALCOHOL (SARA 313)
% Wt: 35-40
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 400 PPM/STEL 500
ACGIH TLV: 400 PPM/STEL 500

Cas: 14807-96-6
RTECS #: MW2700000
Name: TALC
% Wt: 25-30
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 2.0 MG/M3
ACGIH TLV: 2.0 MG/M3

Cas: 8001-79-4
RTECS #: FI41000
00
Name: VEGETABLE OIL
% Wt: 15-20
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 15 MG/M3 MIST DUST
ACGIH TLV: 10 MG/M3 MIST

Cas: 63148-65-2
Name: VINYL RESIN
% Wt: 10-15
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 2.5 MG/M3 DUST
ACGIH TLV: 2.5 MG/M3 DUST

Cas: 7782-42-5
RTECS #: MD9659600
Name: GRAPHITE, NATURAL
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 2.5 MG/M3 DUST
ACGIH TLV: 2.5 MG/M3 DUST

RTECS #: 9999999VO

Name: VOC = 4.29 G/L

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT RELEVANT

ACGIH TLV: NOT RELEVANT

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE: IRRITATION. INHAL: IRRITATION, HEADACHE, DIZZINESS,
NAUSEA. INGEST: MODERATELY TOXIC. IRRITATION.

Fir

st Aid: INGEST: DONT INDUCE VOMIT. KEEP INDIVIDUAL CALM. GET MD AID. INHAL:
GET FRESH AIR, GET MED AID. SKIN: WASH W.SOAP & WATER. EYE: FLUSH W/WATER
FOR 15 MINUTES, GET MED AID.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE IGNITS. SOAK UP W/INERT ABSORBENT. VENT AREA.
STORE IN CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE & DISPOSE OF IN A
CCORDANCE W/FEDERAL,
STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE AWAY FROM IGNITION SOURCES.

Other Precautions: AVOID PROLONGED SKIN CONTACT & BREATHING OF VAPORS. KEEP
AWAY FROM EYES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 60.0F,15.6C

Lower Limits: 2.3

Upper Limits: 12.7

Extinguishing Media: CARBON DIOXIDE, F

OAM, DRY CHEMICAL.

Unusual Fire/Explosion Hazard: NONE

=====
Control Measures
=====

Ventilation: RECOMMENDED.

Protective Gloves: RUBBER OR PLASTIC.

Eye Protection: SAFETY GLASSES OR GOGGLES.

=====
Physical/Chemical Properties
=====

B.P. Text: 180F,82C

Vapor Pres: 33.0 @ 68F

Vapor Density: 2.07

Spe

c Gravity: 1.1 @ 77F

Evaporation Rate & Reference: 7.7

Solubility in Water: PARTIAL.

Appearance and Odor: BLACK PASTE, ALCOHOLIC ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: FORMED BY FIRE/THERMAL DECOMP: IRRITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
=====
Other Information
=====
=====

=====
Transportation Information
=====

Responsible Party Cage: 05972
Trans ID NO: 79236
Product ID: FORM-A-GASKET (R) HIGHTEMP NO. 1372 80088 1372W SEALANT
MSDS Prepared Date: 01/22/1996
Review Date: 11/24/1997
MFN: 1
Multiple KIT Number: 0
Review IND:
Y
Unit Of Issue: TU
Container QTY: K
=====

=====
Detail DOT Information
=====

DOT PSN QQ
DOT Proper Shipping Name: RESIN SOLUTION
DOT PSN Modifier: FLAMMABLE
Hazard Class: 3
UN ID Num: UN1866
DOT Packaging Group: II
Label: FLAMMABLE LIQUID
Special Provision: B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 173
Bulk Pack: 242
Max Qty Pass: 5 L
Max Qty Cargo: 60 L
Vessel Stow Req: B
=====

=====
=====
Detail IMO Information
=====

IMO PSN Code: NBF
IMO Proper Shipping Name: RESIN,SOLUTION
IMO PSN Modifier: FLAMMABLE o
IMDG Page Number: 3278
UN Number: 1866
UN Hazard Class: I/II ++
IMO Packaging Group: II ~
Subsidiary Risk Label: -
EMS Number: 3-05
MED First Aid Guide NUM: 310
=====

=====
Detail IATA Information
=====

===

IATA PSN Code: VRV
IATA UN ID Num: 1866
IATA Proper Shipping Name: RESIN SOLUTION
IATA PSN Modifier: ,FLAMMABLE
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: II
Packing Note Passenger: 305
Max Quant Pass: 5L
Max Quant Cargo: 60L
Packaging Note Cargo: 307
Exceptions: A7

=====

Detail AFI Information

=====

AFI PSN Code: VRV
AFI Proper Shipping Name: RESIN SOLUTION
AFI PSN Modifier: ,FLAMMABLE
AFI Hazard Class: 3
AFI UN ID NUM: UN1866
AFI Packing Group: II
Special Provisions: P5
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: FORM-A-GASKET (R) HIGHTEMP NO. 1372 80088 1372W SEALANT
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 860-571-5100
Label Required IND:

Y

Date Of Label Review: 10/12/1999
Status Code: A
Origination Code: G
Hazard And Precautions: EYE: IRRITATION. INHAL: IRRITATION, HEADACHE,
DIZZINESS, NAUSEA. INGEST: MODERATELY TOXIC. IRRITATION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, sta

tes, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability
of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.