

CLICK BOND DIV OF PHYSICAL SYSTEMS INC -- CB 200 COMPONENT A STRUCTURAL ADHESIVE
ACCELERATOR -- 8040-01-107-3981

=====
Product Identification
=====

Product ID:CB 200 COMPONENT A STRUCTURAL ADHESIVE ACCELERATOR

MSDS Date:12/14/1994

FSC:8040

NIIN:01-107-3981

Kit Part:Y

MSDS Number: CFXBJ

=== Responsible Party ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

City:CAR

SON CITY

State:NV

ZIP:89701-0713

Country:US

Info Phone Num:702-885-8000

Emergency Phone Num:702-885-8000

CAGE:66530

=== Contractor Identification ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

Box:City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Phone:775-885-8000

CAGE:66530

=====
Composition/Information on Ingredients
=====

Ingred Name:EPOXY RESIN (PROPRIETARY INGREDIENT)

Fraction by Wt: 50.0%

Other REC Limits:NONE RECOMMENDED

Ingred Na

me:DIISOBUTYL PHTHALATE
CAS:84-69-5
Fraction by Wt: 30.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BENZOYL PEROXIDE (SARA 313)
CAS:94-36-0
RTECS #:DM8575000
Fraction by Wt: 25.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3

Ingred Name:VOC = 0.25 LBS/GL
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION,
SENSITIZATION, DERMATITIS. INHAL: IRRITATION. INGEST: HARMFUL.
CHRONIC: DERMATITIS.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/LARGE AMOUNTS WATER >15 MINUTES, LIFT LIDS. GET
MED AID. SKIN: FLUSH W/LARGE AMOUNTS WATER. REMOVE CONTAM CLOTHES,
WASH BEFORE REUSE. WASH W/SOAP & WATER, GET MED AID. INHAL:
MOVE TO
FRESH AIR. RESTORE/SUPPORT BREATHING. GIVE OXYGEN IF NEEDED. GET
MED AID. INGEST: DONT INDUCE VOMIT. GIVE 1-2 GLASSES MILK/WATER.
CALL DR/POISON CONTROL IMMED. NEVER GIVE ANYTHING TO UNCONSCIOUS
PERSON.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:>200F,>93C
Autoignition Temp:Autoignition Temp Text:NE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedure

s:WEAR FULL PROTECTIVE CLOTHING/SCBA. IF WATER IS USED, FOG NOZZLES ARE PREFERRED. DECOMP PRODUCTS HAZARDOUS. Unusual Fire/Explosion Hazard:CLOSED CONTAINER MAY RUPTURE W/HEAT. USE WATER TO COOL FIRE EXPOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID BREATHING VAPORS. USE SCBA. NOTIFY AUTHORITIES IF NECESSARY. CONTAIN/REMOVE W/ABSORBENT. EVAC AREA.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. READ/UNDERSTAND SAFETY PRECAUTIONS BEFORE USE. DONT REUSE CONTAINER. STORE IN WELL VENTED AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED AIR PURIFYING ORGANIC VAPOR RESPIRATOR. FOR EMERGENCY/CONFINED SPACE USE: USE AIR SUPPLIED RESPIRATOR.

Ventilation:SUFFICIENT.

Protective Gloves:NEOPRENE, NITRILE, RUBBER.

Eye Protection:CHEMICAL GOGGLES.

Work Hygienic Practices:WASH HANDS BEFORE EAT/SMOKE/TOILET. SMOKE IN SMOKING AREAS ONLY. DONT EAT/DRINK NEAR PRODUCT.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:NE

Vapor Pres:NE

Vapor Density:>AIR

Spec Gravity:1.19

pH:NA

Evaporation Rate & Reference: