View NSN Online: https://aerobasegroup.com/nsn/7510-01-398-3863

## MINOLTA CAMERA CO LTD -- TONER #5051009 -- 7510-01-398-3863

Product ID:TONER #5051009 MSDS Date:08/22/1989 FSC:7510 NIIN:01-398-3863 MSDS Number: CFXMM === Responsible Party === Company Name: MINOLTA CAMERA CO LTD Address:3-13,2-CHOME,AZUCHI-MACHI,CHUO-KU City:OSAKA 541 Country:JA Emergency Phone Num:011-06271-2625 CAGE:S4049 === Contractor Identification === Com pany Name: MINOLTA CAMERA CO LTD Address:30, 2-CHOME AZUCHI-MACHI Box:City:HIGASHI-KU OSAKA 541 Phone:05-271-2251 CAGE:S4049

Ingred Name:POLYESTER RESIN Fraction by Wt: >8.5% Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3

Ingred Name:ORGANIC PIGMENT CAS:32517-36-5 Fraction by Wt: 1-3% Othe

r	REC	Limits:NONE	RECOMMENDED
---	-----	-------------	-------------

Ingred Name:POLYPROPYLENE CAS:9003-07-0 Fraction by Wt: 1-3% Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA GEL CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: >1% Other REC Limits:NONE RECOMMENDED OSHA PEL:NE ACGIH TLV:NE

======= H	Hazards Identification	
-----------	------------------------	--

LD50 LC50 Mixture:\* Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHA LE, IRRITATION Medical Cond Aggravated by Exposure:AGGRAVATED, SAME AS NORMAL DUST

First Aid:SKIN: WASH W/ SOAP AND WATER

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:WATER FOAM DRY CHEMICAL Fire Fighting Procedures:AVOID INHALATION OF SMOEK Unusual Fire/Explosion Hazard:MAY FORM EXPLOSIVE MIXTURES WITH AIR

Spill Release Procedures:SWEEP UP OR VACUUM

Handling and Storage Precautions:NONE Other Precautions:NONE

Respiratory Protection:NONE REQUIRED Ventilation:NA Protective Gloves:NOT REQUIRED Eye Protection:NOT REQUIRED Other Protective Equipment:USE OF GOGGLES AND RESPIRATORS MAY BE REQUIRED Work Hygienic Practices :NONE Supplemental Safety and Health

\* ORAL LD50 >5G/KG RAT, DERMAL 0.2G/KG RAT, INHALE LC50 >0.74G/M3 RAT, TLV 10MG/M3

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:1.2 Evaporation Rate & amp; Reference:NA Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK POWDER, FAINT ODOR

Stability Indicator/ Materials to Avoid:YES NONE Hazardous Decomposition Products:TOXIC SMOKE

Waste Disposal Methods: IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.