View NSN Online: https://aerobasegroup.com/nsn/6685-00-477-2170

Product ID: ARGON IN THERMOMETER MSDS Date:12/01/1992 FSC:6685 NIIN:00-477-2170 MSDS Number: CFYMC === Responsible Party === Company Name: PRAXAIR INC Address:39 OLD RIDGEBURY RD City:DANBURY State:CT ZIP:06817-0001 Country:US Info Phone Num:203-794-5782 Emergency Phone Num:203-794-5782 CAGE:0LV01 === Contrac tor Identification === Company Name: MOELLER INSTRUMENT CO Address:126 MAIN ST Box:668 City:IVORYTON State:CT ZIP:06442 Country:US Phone:860-767-2104 CAGE:76526 Company Name: PRAXAIR, INC. Address:39 OLD RIDGEBURY RD Box:City:DANBURY State:CT ZIP:06810-5113 Country:US Phone:800-772-9247; 800-PRAXAIR CAGE:0LV01

Ingred Name:ARGON CAS:7440-37-1 RTECS #:CF2300000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPH YXIANT; 9596

======================================
LD50 LC50 Mixture:NOT RELEVANT Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC- THEREMOMETER CONTAINS SMALL AMOUNTS OF ARGON. NO HAZARD IS ANTICIPATED IN NORMAL CONDITION OF USE. Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE Medical Cond Aggravated by Exposure :NONE
======================================
First Aid:INHALED:MOVE TO FRESH AIR.
======================================
Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS IF NEEDED. Unusual Fire/Explosion Hazard:THERMOMETER MAY RUPTUR E DUE TO HEAT OF FIRE.
======================================
Spill Release Procedures:VENTILATE AREA. Neutralizing Agent:NOT RELEVANT
======================================
Handling and Storage Precautions:HANDLE WITH CARE. KEEP OUT OF REACH OF SMALL CHILDREN. Other Precautions:WASH HANDS AFTER HANDLING.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE SHOULD BE NEEDED.

Ventila

tion:NONE SHOULD BE NEEDED. Protective Gloves:NONE SHOULD BE NEEDED. Eye Protection:SAFETY GLASSES RECOMMENDED Other Protective Equipment:NONE SHOULD BE NEEDED. Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health THIS IS A THERMOMETER WHICH HAS SMALL AMOUNTS OF ARGON GAS.

HCC:G3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:-303F,-186C Melt/Fre eze Pt:M.P/F.P Text:-309F,-189C Vapor Density:1.378 Spec Gravity:GAS Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS, ODORLESS GAS Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:NONE

========= Disposal Considerations ==========

=======

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.