Product ID: HYDRAULIC FLUID PM MSDS Date:01/06/1998 FSC:6850 NIIN:00-894-4925 MSDS Number: CFYMX === Responsible Party === Company Name: ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 **City:SAN ANTONIO** State:TX ZIP:78265 Country:US Info Phone Num:210-653-9323 FAX 210-653 -0825 Emergency Phone Num:210-653-9323/800-255-3924 CAGE:55208 === Contractor Identification === Company Name: ELDORADO CHEMICAL COMPANY, INC. Address:14350 LOOKOUT ROAD Box:34837 **City:SAN ANTONIO** State:TX ZIP:78265-4837 Country:US Phone:800-531-1088/210-653-2060 CAGE:55208 Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120 Box:City:GRETNA State:LA ZIP:70056 Country:US Phone:504-366-9105 CAGE:0PGK2

Ingred Name

:PROPYLENE GLYCOL MONOMETHYL ETHER CAS:107-98-2 RTECS #:UB7700000 Fraction by Wt: 55% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM/150STEL;9596 Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 45% Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health H azards Acute and Chronic: INHALATION MAY CAUSE IRRITATION, DIZZINESS, NAUSEA. SKIN CONTACT MAY CAUSE IRRITATION, DERMATITIS. EYE CONTACT MAY CAUSE IRRITATION, BURNING. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: RESPIRATORY TRACT IRRITATION, DIZZINESS, NAUSEA, SKIN IRRITATION, DERMATITIS, EYE IRRITATION, EYE BURNING. Medical Cond Aggravated by Exp osure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: CONSULT PHYSICIAN.

Flash Point Method:PMCC Flash Point:>122F,>50C Autoignition Temp:Autoignition Temp Text:900F Lower Limits:5 % Upper Limits:15 % Extinguishing Media:WATER, CARBON DIOXIDE. Fire Fighting Procedures:USE STANDARD FIREFIGHTING PROCEDURES FOR SURROUNDING MATERIALS IN THE FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:RINSE WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MAN

======

UFACTURER.

Handling and Storage Precautions: AVOID PROLONGED SKIN CONTACT. AVOID CONTACT WITH EYES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS. Protective Gloves:RUBBER Eye Protectio n:FACE SHIELD OR GOGGLES Other Protective Equipment:AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:F4 Boiling Pt:B.P. Text:>200F,>93C Melt/Freeze Pt:M.P/F.P Text: