Product ID:CLEANING COMPOUND WINDSHIELD, AK-046 MSDS Date:04/28/1997 FSC:6850 NIIN:01-368-4799 **MSDS Number: CFZCH** === Responsible Party === **Company Name: ALFA KLEEN** Address:2691 SATURN STREET City:BREA State:CA ZIP:92621-6703 Country:US Info Phone Num:714-524-2530/FAX 714-524-1765 **Emergency Phon** e Num:714-524-2530/800-424-9300(CHEMTREC) Preparer's Name:SYLVIA EVANGELISTA CAGE:62639 === Contractor Identification === Company Name: ALFA KLEEN CHEMICAL LABORATORIES INC Address:840 CAPITOLIO WAY Box:City:SAN LUIS OBISPO State:CA ZIP:93401 Country:US Phone:805-541-3465 CAGE:62639

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 42.9% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELE VANT

Ingred Name: DENATURED ALCOHOL/ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 57.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9596 Ingred Name: DETERGENT MIL D-16791/NONYLPHENOXYPOLYETHOXYETHANOL CAS:68412-54-4 Fraction by Wt: 0.1% Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO R eports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE AND CHRONIC- MAY CAUSE EYE IRRITATION. REPEATED/PROLONGED SKIN CONTACT CAN CAUSE DRYNESS. EXCESSIVE INHALATION COULD CAUSE HEADA CHE, DIZZINESS. HARMFUL IF INGESTED. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, HEADACHE, DIZZINESS, NAUSEA, SKIN DRYNESS, TEARING, BLURRED VISION, ITCHING, BURNING SENSATION. VOMITING, DRUNKNESS Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:RINSE WITH COLD WATER. ORAL:DO NOT

INDUCE V OMITING. SEEK IMMEDIATE MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS.

Flash Point Method:CC Flash Point:80.0F,26.7C Extinguishing Media: USE WATER FOG. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. **Unusual Fire/Exp** losion Hazard: CONTAINERS MAY EXPLODE. Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. OTHERWISE, ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINER FOR DISPOSAL. Neutralizing Agent:WATER Handling and Storage Precautions: STORE IN COOL, VENTILATED AREA, AWAY FROM FLAMES. KEEP CONTAINER TIGHTL Y CLOSED. Other Precautions: AVOID BREATHING VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING, KEEP OUT OF REACH OF CHILDREN, DO NOT INGEST. Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation: GENERAL VENTILATION Protective GI oves:NITRILE FOR REPEATED/PROLONGED CONTACT Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF EXPOSURE. Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health HCC:F3 NRC/State Lic Num:NOT RELEVANT

Boiling

Pt:=184.4C, 364.F Melt/Freeze Pt:=-45.6C, -50.F Vapor Density:0.62 Spec Gravity:0.90 pH:4.40 Evaporation Rate & amp; Reference:0.7 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:WATER WHITE LIQUID - ALCOHOL ODOR

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:HEAT, OPEN FLAMES

Waste Disposal Methods:DISCHARGE, TRE ATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER, IF ALLOWED. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this inform ation to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.