

HERNON MFG INC -- NUTS 'N BOLTS 420, ANAEROBIC -- 8030-01-069-3046

=====  
Product Identification  
=====

Product ID:NUTS 'N BOLTS 420, ANAEROBIC

MSDS Date:08/01/1993

FSC:8030

NIIN:01-069-3046

MSDS Number: CGFDB

=== Responsible Party ===

Company Name:HERNON MFG INC

Address:121 TECH DRIVE

City:SANFORD

State:FL

ZIP:32771

Country:US

Info Phone Num:407-322-4000

Emergency Phone Num:407-322-4000

Preparer's

Name:JOSEF ARNON, TECH. DIR.

CAGE:61603

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

Fraction by Wt: 50-60%

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture: ORAL LD50 >5000MG/KG/ DE

RMAL >2000MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Explanation of Carcinogenicity:IARC 2B

Effects of Overexposure:PROLONGED CONTACT WITH SENSITIVE INDIVIDUALS  
MAY CAUSE DERMATITIS.

Medical Cond Aggravated by Exposure:POSSIBLE DERMATITIS ON PROLONGED  
CONTACT IN SENSITIVE PEOPLE.

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH WITH WATER AT LEAST 15 MIN. SKIN: FLUSH WITH  
WATER. INGESTION: DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC

Flash Point:200F,93C

Lower Limits:6% METHANOL

Upper Limits:36% METHANOL

Extinguishing Media:FOAM, DRY CHEMICAL, CO2.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING FIRES INVOLVING  
CHEMICALS.

=====  
Accidental Release Measures  
=====

Sp

ill Release Procedures:SOAK UP IN INERT ABSORBENT. STORE IN PARTLY  
FILLED CLOSED CONTAINER UNTIL DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID PROLONGED SKIN CONTACT. KEEP  
AWAY FROM CHILDREN. STORE BELOW 110F TO PRESERVE SHELF LIFE.

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:LOCAL EXHAUST NECESSARY. SPECIAL NORMALLY NOT NEEDED.

Protective Gloves:SAFETY GLOVES ARE RECOMMENDED.

E

Eye Protection:SAFETY GLASSES ARE RECOMMENDED.

Other Protective Equipment:NOT NECESSARY.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>300 F

Vapor Pres: