View NSN Online: https://aerobasegroup.com/nsn/8010-01-397-3812

Product ID:DEVRAN 929 37875 WHITE FLIGHT DECK TOPPING, BASE, 929B3987 MSDS Date:06/02/1995 FSC:8010 NIIN:01-397-3812 Kit Part:Y **MSDS Number: CGFHW** === Responsible Party === Company Name: DEVOE COATINGS CO DIV OF GROW GROUP INC Address:4000 DUP ONT CIR Box:7600 City:LOUISVILLE State:KY ZIP:40207-4802 Country:US Info Phone Num:502-897-9861 Emergency Phone Num:800-424-9300 Preparer's Name:LOUIS F. HOLZKNECHT CAGE:1HK86 === Contractor Identification === Company Name: DEVOE COATINGS CO Address:4000 DUPONT CIRCLE Box:7600 City:LOUISVILLE State:KY ZIP:40207-4802 Country:US Phone:502-897-9861 CAGE:1HK86

Ingred Name:ACRYLIC RESIN Fraction by Wt: 15.0% Other REC Limits:NONE R ECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

Ingred Name:AMORPHOUS SILICA CAS:63231-67-4 RTECS #:VV7322000 Fraction by Wt: 10.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:20 MPPCF ACGIH TLV:10 MG/M3 TOTAL DUST

Ingred Name:EPOXY RESIN CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 10.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE)(SARA 313)(CERCLA)(VP = 15 MMHG) CAS:108-10-1 RTECS #:SA9275000 Fraction by Wt: 10.0% Other REC Limits:NONE RECOMMENDED OS HA PEL:50 PPM ACGIH TLV:50 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:N-BUTYL ALCOHOL (SARA 313)(CERCLA)(VP = 4.2 MMHG) CAS:71-36-3 RTECS #:EO1400000 Fraction by Wt: 15 MIN. GET MED AID. SKIN: WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES. GET MED AID IF IRRIT PERSISTS. INGESTION: CALL DR. IMMED. DON'T INDUCE VOMITING. CHEM PNEUMONITIS W/ASPIRATION OF VOMITUS, POSSIBLY FATAL. INHAL: GET FRESH AIR IF TROUBLE BREATHING. IF CONTINUED TROUBLE BREATHING GET IMMED MED

AID. BREATHING STOPPED, RESTORE BREATHING W/CPR. GET IMMED MED AID.

Flash Point:80.0F,26.7C
Lower Limits:1.0
Extinguishing Media:CO2, DRY CHEMICAL, FOAM (CLASS B FIRE).
Fire Fighting Procedures:FULL PROTEC EQUIP W/SCBA. WATER SPRAY MAY BE INEFFECTIVE, FOG NOZZLES PREFERRED. COOL FIRE-HEAT EXPOSED CLSD CNTNRS. PREVENT PRESSURE BUILD-UP/AUTOIGNITION.
Unusual Fire/Explosion Hazard:KEEP CNTNRS TIGHTLY CLSD. KEEP FROM

## HEAT/ELECTRICAL EQUIP/SPARKS/FLAME. CLSD CNTNRS MAY EXPLODE IN EXTREME HEAT. DON'T CUT/WELD ON/NEAR CNTNR AS MAY IGNITE.

Spill Release Procedures: REMOVE IGNIT SOURCES. AVOID BREATHING VAPORS. VENTILATE AREA. BEFORE CLEAN-UP REFER TO HAZ CAUTION INFO. CONTAIN SPILL/REMOVE W/INERT ABSORBENT/NONSPARKING TOOLS. STORE IN CLOSED CONTAINER UNTIL PROPE RLY DISPOSED OF.

================== Handling and Storage

\_\_\_\_\_

Handling and Storage Precautions: ISOLATE FROM HEAT/SPARKS/FLAMES. DON'T SMOKE. PREVENT VAPOR BUILD-UP W/CONTINUOUS FLOW FRESH AIR. DON'T STORE >120F, NEAR FIRE/OPEN FLAME. STORE LG\*
Other Precautions: AMTS IN BUILDINGS TO COMPLY W/OSHA 1910.106. KEEP CNTNR CLSD WHEN NOT USING. DON'T TRANSFER TO BOTTLES/UNLABELED

CNTNRS. DON'T REUSE EMPTY CNTNRS. IF MAT'L PART OF 2 COMPONENT PROD, MIXTURE WILL HAVE HAZARDS OF BOTH COMPONENTS.

====== Exposure C ontrols/Personal Protection ==========

Respiratory Protection:DON'T BREATHE VAPORS/SPRAY MIST/SANDING DUST.NIOSH/MSHA APPROVED MECHANCL FILTER RESPRTR.IN RESTRICTED VENTILATION, NIOSH/MSHA APPROVED CHEM/MECHANCL FILTER FOR PARTICULATES/VAPOR.CONFINED AREAS, NIOS H/MSHA APPROVED AIR-SUPPLY RESPRTR/HOODS

Ventilation: GEN DILUTION/LOCAL EXHAUST VENT. TO KEEP AIR CONTAM CONC