View NSN Online: https://aerobasegroup.com/nsn/8010-00-223-4038

AMERON PROTECTIVE COATINGS -- CLEAR -- 8010-00-223-4038

============= Product Identification ==============

Product ID:CLEAR

MSDS Date:01/01/1987

FSC:8010

NIIN:00-223-4038

MSDS Number: CGJPB === Responsible Party ===

Company Name: AMERON PROTECTIVE COATINGS

Address: 201 NORTH BERRY STREET

City:BREA State:CA

ZIP:92622-1020 Country:US

Info Phone Num:714-529-1951

Emergency Phone Num:714-529-1951

CAGE:0Y2E4 === Contrac

tor Identification ===

Company Name: AMERON PROTECTIVE COATINGS

Address: 201 NORTH BERRY STREET

Box:1020 City:BREA State:CA

ZIP:92622-1020

Country:US

Phone:714-529-1951

CAGE:0Y2E4

======= Composition/Information on Ingredients ========

Ingred Name: DIACETONE ALCOHOL

CAS:123-42-2

RTECS #:SA9100000 Fraction by Wt: 9.0% Other REC Limits:50 PPM OSHA PEL:240 MG/CUM ACGIH TLV:238 MG/CUM

Ingred Name: ACETIC ACID, ETHYL ESTER, ETHYL ACETATE *97-4*

CAS:141-78-6

RTECS #:AH5425000


Fraction by

Wt: 36.0% Other REC Limits:400 PPM OSHA PEL:1400 MG/CUM ACGIH TLV:1400 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:BUTYL ACETATE (N-BUTYL ACETATE) *97-4* CAS:123-86-4 RTECS #:AF7350000 Fraction by Wt: 13.5% Other REC Limits:150 PPM OSHA PEL:710 MG/CUM ACGIH TLV:713 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: METHYL ETHYL KETONE, 2-BUTANONE *97-4* CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 31.5% Other REC Limits:590 MG/CUM OSHA PEL:200 PPM ACGIH TLV:590 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: ANESTHETIC. MAY CAUSE IRRITATION. NERVOUS SYSTEM DEPRESSION. SKIN/EYES: IRRITATION. **Explanation of Carcinogenicity:NONE** Effects of Overexposure:IRRITATION First Aid:SKIN/EYES: FLUSH W/WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES. Flash Point Method:TCC Flash Point:20F Lower Limits: 1.6 Extinguishing Media: SMALL FIRES: CO2/DRY CHEMICAL. LARGE FIRES: FOAM Fire Fighting Procedures: USE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT MAY

======== Accidental Release Me

EXPLODE.

asures	=======================================



Disclaimer (provided with this information by the compiling agencies): This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.