

EMERSON CUMING INC. SUB OF W R GRACE AND CO. -- STYCASET 2651 -- 5970-00-208-8070
===== Product Identification =====

Product ID:STYCASET 2651
MSDS Date:03/11/1997
FSC:5970
NIIN:00-208-8070
Kit Part:Y
MSDS Number: CGLRD
=== Responsible Party ===
Company Name:EMERSON CUMING INC. SUB OF W R GRACE AND CO.
Address:77 DRAGON COURT
City:WOBURN
State:MA
ZIP:01888
Country:US
Info Phone Num:617-828-3300
Em
ergency Phone Num:617-935-4850/617-938-8630
Preparer's Name:DAVID HAAS
CAGE:0B562
=== Contractor Identification ===
Company Name:EMERSON & CUMING
Address:55 HAYDEN AVE
Box:City:LEXINGTON
State:MA
ZIP:02173
Country:US
Phone:617-861-6600
CAGE:0B562

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN
Fraction by Wt: 40-50%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, CRYSTALLINE
Fraction by Wt: 20-30%
Other REC Limits:NONE RECOMMENDED

Ingred Nam

e:MICA
Fraction by Wt: 20-30%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PHENYL GLYCIDYL ETHER (PGE)
CAS:122-60-1
RTECS #:TZ3675000
Fraction by Wt: 2-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:S, 1 PPM; A3; 9596

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 200F,>93C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:N/ESTABLISH
Upper Limits:N/ESTABLISH
Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL,FOAM,WATER FOG.
Fire Fighting Procedures:FIREFIGHTER/RESCUE PERSONNEL SHOULD WEAR
+PRESS SCBA & FULL PROT EQPMT.COOL EXPO CNTNR W/H2O TO PREVENT
PRESSURE BUILDUP.LG QUANT OF MATLS INVOLVE EVACUATE(SUP)
Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY
BE TOXIC.CLOSED CNTNRS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:CONDUCT RESPONSE OPERATIONS IAW PROVISIONS OF
29CFR1910.120.REVIEW WHOLE MSDS BEFORE PROCEEDING.SM-ACTIVATE EXHAU
VENTI.WIPEUP/ABSORB W/VERMI/SIMILAR MATL.WASH AREA W/SOAPY
H2O-REMOVES RESIDUE.COLLECT MATERIAL/RINSE IN APPROP CNTNR.DISPOSE IAW
ALL (SUPPLEMENT)
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY LOCATION W/ADEQUATE
VENTILATION.KEEP CONTAINER TIGHTLY SEALED WHEN NOT IN USE.KEEP AWAY FROM
FLAME/HEAT SOURCE.CONSULT PRODUCT TECH BULLETIN FOR STORAGE INFORMATION
Other

r Precautions:BECAUSE OF USAGE CONDITIONS WILL VARY DEPENDING ON CUSTOMER APPLICATION SPEC SAF HNDLG PROCEDURES SHOULD BE DEVLP BY PERSON KNOWLEDGEABLE IN INTENDED USAGE CONDITIONS/EQPMT.WORKER MUST BE PROPERLY TRA IN IN SAF HNDLG OF PROD PRIOR TO USE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APROPRIATE PROPERLY FITTED RESP IF EXPO EXCEED PEL/TLV VALUES.TYP SELECTED WILL DEPEND ON CONDITIONS OF USE.OBSERVE OSHA REGS FOR RESP PROT(29CFR1910.134).

Ventilation:PROVIDE EFFECTIVE MECH EXHAU VENTI-DRAW VAP/MIST/FUME FRM PROCESS AWAY FRM WORK/PREVENT INHAL,ESPEC @HI TEMPS.

Protective Gloves:APPROPRIATE PROTECIVE GLOVES

Eye Protection:FCSHIELD,SPLASH PRO CHEM GOG,CHEM SAF GL

Other Protective Equipment:PROPER CHEM RESIST APRON,ADDN IMPERV CLOTH.EMERG EYE WASH/SAF SHOWER.

Work Hygienic Practices:NORMAL WORK CLOTH SHOULD BE WASH BEF REUSE.WASH HAND/FC WELL AFT HNDLG/BEF EAT/DRINK/SMOKE.

Supplemental Safety and Health

KEY1:N1. FIREFIGHTER:AREA,FIGHT FIRE FRM SAFE DISTANCE.

DECOMPO:BYPRODUCTS VARY WIDELY DEPENDING ON CONDITIONS OF COMBUSTION. SPILL:REGS.LG-LIMIT ACCESS.SHUT OFF SOURCE W/O RISK.ACTIVATE EXHAU VETN.D IKE/CONTAIN/PREVENT RELEASE TO SEWER/DRAIN/H2OWAYS.COLLECT FOR SALV/DISPO.SOAKUP W/ABSORBENT.WASH W/SOAPY H2O.

=====
===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:B.P. Text:ND

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NELGIGIBLE

Vapor Density:>AIR

Spec Gravity:1.65

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK LIQUID

Percent Volatiles by Volume:2.5

Corrosion Rate:NP

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

INCOMPATIBLE W/STRONG OXIDIZERS,ACIDS,BASES,UNCONTROLLED MIX W/AMINES,ANHYDRIDES,MERCAPTANS,IMIDZOLES MAY CAUSE HAZ POLY

Stability Condition to Avoid:AVOID

STORAGE IN OPN CNTNR,EXPO TO OPN

FLAME/UNCNTRLD EXPO TO HEAT,UNCNTRLD MIXING W/CURE AGENTS,EXPO TO INCOMPAT SUBSTS

Hazardous Decomposition Products:FUMES/VAPORS FROM THERM/CHEM DECOMPOSITIONS MAY VARY WIDELY IN COMPOSITION AND TOXICITY.

Conditions to Avoid Polymerization:REVIEW REACTIVITY DATA CONCERNING CONDITIONS TO AVOID AND INCOMPATIBLE SUBSTANCES.

===== Disposal Considerations =====

Waste Disposal Methods:NO SARA SEC 313 SUBSTANCES.DISPOSE OF IAW

CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.