

EMERSON CUMING INC. SUB OF W R GRACE AND CO. -- STYCASET 2651 -- 5970-00-208-8070  
===== Product Identification =====

Product ID:STYCASET 2651  
MSDS Date:03/11/1997  
FSC:5970  
NIIN:00-208-8070  
Kit Part:Y  
MSDS Number: CGLRD  
=== Responsible Party ===  
Company Name:EMERSON CUMING INC. SUB OF W R GRACE AND CO.  
Address:77 DRAGON COURT  
City:WOBURN  
State:MA  
ZIP:01888  
Country:US  
Info Phone Num:617-828-3300  
Em  
ergency Phone Num:617-935-4850/617-938-8630  
Preparer's Name:DAVID HAAS  
CAGE:0B562  
=== Contractor Identification ===  
Company Name:EMERSON & CUMING  
Address:55 HAYDEN AVE  
Box:City:LEXINGTON  
State:MA  
ZIP:02173  
Country:US  
Phone:617-861-6600  
CAGE:0B562

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN  
Fraction by Wt: 40-50%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, CRYSTALLINE  
Fraction by Wt: 20-30%  
Other REC Limits:NONE RECOMMENDED

Ingred Nam

e:MICA  
Fraction by Wt: 20-30%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PHENYL GLYCIDYL ETHER (PGE)  
CAS:122-60-1  
RTECS #:TZ3675000  
Fraction by Wt: 2-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 PPM  
ACGIH TLV:S, 1 PPM; A3; 9596

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 200F,>93C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:N/ESTABLISH  
Upper Limits:N/ESTABLISH  
Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL,FOAM,WATER FOG.  
Fire Fighting Procedures:FIREFIGHTER/RESCUE PERSONNEL SHOULD WEAR  
+PRESS SCBA & FULL PROT EQPMT.COOL EXPO CNTNR W/H2O TO PREVENT  
PRESSURE BUILDUP.LG QUANT OF MATLS INVOLVE EVACUATE(SUP)  
Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY  
BE TOXIC.CLOSED CNTNRS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:CONDUCT RESPONSE OPERATIONS IAW PROVISIONS OF  
29CFR1910.120.REVIEW WHOLE MSDS BEFORE PROCEEDING.SM-ACTIVATE EXHAU  
VENTI.WIPEUP/ABSORB W/VERMI/SIMILAR MATL.WASH AREA W/SOAPY  
H2O-REMOVES RESIDUE.COLLECT MATERIAL/RINSE IN APPROP CNTNR.DISPOSE IAW  
ALL (SUPPLEMENT)  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY LOCATION W/ADEQUATE  
VENTI.KEEP CONTAINER TIGHTLY SEALED WHEN NOT IN USE.KEEP AWAY FROM  
FLAME/HEAT SOURCE.CONSULT PRODUCT TECH BULLETIN FOR STORAGE INFORMATION  
Other

r Precautions:BECAUSE OF USAGE CONDITIONS WILL VARY DEPENDING ON CUSTOMER APPLICATION SPEC SAF HNDLG PROCEDURES SHOULD BE DEVLP BY PERSON KNOWLEDGEABLE IN INTENDED USAGE CONDITIONS/EQPMT.WORKER MUST BE PROPERLY TRA IN IN SAF HNDLG OF PROD PRIOR TO USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APROPRIATE PROPERLY FITTED RESP IF EXPO EXCEED PEL/TLV VALUES.TYP SELECTED WILL DEPEND ON CONDITIONS OF USE.OBSERVE OSHA REGS FOR RESP PROT(29CFR1910.134).

Ventilation:PROVIDE EFFECTIVE MECH EXHAU VENTI-DRAW VAP/MIST/FUME FRM PROCESS AWAY FRM WORK/PREVENT INHAL,ESPEC @HI TEMPS.

Protective Gloves:APPROPRIATE PROTECIVE GLOVES

Eye Protection:FCSHIELD,SPLASH PRO CHEM GOG,CHEM SAF GL

Other Protective Equipment:PROPER CHEM RESIST APRON,ADDN IMPERV CLOTH.EMERG EYE WASH/SAF SHOWER.

Work Hygienic Practices:NORMAL WORK CLOTH SHOULD BE WASH BEF REUSE.WASH HAND/FC WELL AFT HNDLG/BEF EAT/DRINK/SMOKE.

Supplemental Safety and Health

KEY1:N1. FIREFIGHTER:AREA,FIGHT FIRE FRM SAFE DISTANCE.

DECOMPO:BYPRODUCTS VARY WIDELY DEPENDING ON CONDITIONS OF COMBUSTION. SPILL:REGS.LG-LIMIT ACCESS.SHUT OFF SOURCE W/O RISK.ACTIVATE EXHAU VETN.D IKE/CONTAIN/PREVENT RELEASE TO SEWER/DRAIN/H2OWAYS.COLLECT FOR SALV/DISPO.SOAKUP W/ABSORBENT.WASH W/SOAPY H2O.

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:B.P. Text:ND

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NELGIGIBLE

Vapor Density:>AIR

Spec Gravity:1.65

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK LIQUID

Percent Volatiles by Volume:2.5

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

INCOMPATIBLE W/STRONG OXIDIZERS,ACIDS,BASES,UNCONTROLLED MIX W/AMINES,ANHYDRIDES,MERCAPTANS,IMIDZOLES MAY CAUSE HAZ POLY

Stability Condition to Avoid:AVOID

STORAGE IN OPN CNTNR,EXPO TO OPN

FLAME/UNCNTRLD EXPO TO HEAT,UNCNTRLD MIXING W/CURE AGENTS,EXPO TO  
INCOMPAT SUBSTS

Hazardous Decomposition Products:FUMES/VAPORS FROM THERM/CHEM  
DECOMPOSITIONS MAY VARY WIDELY IN COMPOSITION AND TOXICITY.

Conditions to Avoid Polymerization:REVIEW REACTIVITY DATA CONCERNING  
CONDITIONS TO AVOID AND INCOMPATIBLE SUBSTANCES.

===== Disposal Considerations =====

Waste Disposal Methods:NO SARA SEC 313 SUBSTANCES.DISPOSE O  
F IAW

CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the sui  
tability of this information to their  
particular situation.