

E M SCIENCE DIV OF E M INDUSTRIES INC -- HYDROXYLAMINE HYDROCHLORIDE,HX  
(0770,0775,0780),4616,4619 -- 6810-00-262-8577

=====  
Product Identification  
=====

Product ID:HYDROXYLAMINE HYDROCHLORIDE,HX (0770,0775,0780),4616,4619

MSDS Date:10/04/1993

FSC:6810

NIIN:00-262-8577

MSDS Number: CGLRP

=== Responsible Party ===

Company Name:E M SCIENCE DIV OF E M INDUSTRIES INC

Address:480 DEMOCRAT ROAD

Box:70

City:GIBBSTOWN

State:NJ

ZIP:08027-0070

Country:US

Info Phone Num:609-423-6300/800-222-0342

Emergency Phone Num:609-423-6300/800-424-9300(CHEMTREC)

CAGE:63612

=== Contractor Identification ===

Company Name:E M SCIENCE DIV OF E M INDUSTRIES INC

Address:480 DEMOCRAT ROAD

Box:70

City:GIBBSTOWN

State:NJ

ZIP:08027

Country:US

Phone:800-222-0342/609-423-6300

CAGE:63612

Company Name:SIGMA TECH ENTERPRISES INC

Address:90 GLEN WAY SUITE 16

Box:City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:415-591-251

0

CAGE:04KF9

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROXYLAMINE HYDROCHLORIDE

CAS:5470-11-1

RTECS #:NC3675000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:LD50 (ORAL, MUS) 408 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESP

IRATORY

AND GASTROINTESTINAL TRACTS. ACUTE- CORROSIVE. EXTREMELY IRRITATING ON CONTACT WITH EYES, SKIN OR MUCOUS MEMBRANES. MAY CAUSE BURNS. HARMFUL IF INHALED OR INGESTED. DUST IRRITATING. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SEVERE IRRITATION, TEARING, PAIN, NAUSEA, VOMITING, DIARRHEA, COUGH, BURNS

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION. EYES/SKIN:IMMEDIATELY FLUSH WITH WATER

FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:IF CONSCIOUS, INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:HIGHLY TOXIC FUMES

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VENTILATE AREA. REMOVE IGNITION SOURCES (HYDROGEN MAY BE PRESENT). CAREFULLY SWEEP UP SPILLED MATERIAL. PLACE IN A SUITABLE CONTAINER FOR REUSE OR DISPOSAL. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:SODA ASH, SODIUM BICARBONATE

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF REACH OF CHILDREN. USE IN FUME HOOD/WELL VENTILATED AREA.

Other Precautions:CAUTION! CORROSIVE. AVOID BREATHING DUSTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING

NG. REMOVE CONTAMINATED CLOTHING PROMPTLY.  
LAUNDRER BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, USE A NIOSH-APPROVED DUST RESPIRATOR.

Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES

Other Protective Equipment: EYE BATH, SAFETY SHOWER, WASHING FACILITIES

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: C1

NRC/State Lic Num: NOT RELEVANT

Melt/Freeze Pt: M.P/F.P Text: 315F, 157C

Spec Gravity: 1.67

Viscosity: NOT RELEVANT

Evaporation Rate & Reference: NOT RELEVANT

Solubility in Water: SOLUBLE

Appearance and Odor: COLORLESS, ODORLESS, HYGROSCOPIC CRYSTALS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

BASES, OXIDIZERS

Stability Condition to Avoid: HEAT, MOISTURE, FLAME

Hazardous Decomposition Products: AMMONIA, HYDROCHLORIC ACID

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. SINCE EMPTIED CONTAINERS RETAIN PRODUCT

UCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER  
IS EMPTIED. EPA WASTE NUMBER: D002

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.