View NSN Online: https://aerobasegroup.com/nsn/6850-00-702-4297

NOVAGARD SILICONE COMPOUNDS & GREASES, INC -- G 697 SILICONE COMPOUND

6850-00-702-4297

============= Product Identification =================

Product ID:G 697 SILICONE COMPOUND

MSDS Date:03/12/1998

FSC:6850

NIIN:00-702-4297

MSDS Number: CGMWC === Responsible Party ===

Company Name: NOVAGARD SILICONE COMPOUNDS & GREASES, INC

Address:5109 HAMILTON AVE

City:CLEVELAND

State:OH ZIP:44114 Country:US

Info Phone Num:216-8

81-8111

Emergency Phone Num:216-881-8111 Preparer's Name:BRIAN CHAMBERS

CAGE:NOVAG

=== Contractor Identification ===

Company Name: FOAM SEAL INC DBA NOVAGARD

Address:5109 HAMILTON AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44114-3907

Country:US

Phone:800-626-6527/216-881-8111

CAGE:00CE9

Company Name: NOVAGARD SILICONES

Address:2720 E. 79TH STREET

Box:City:CLEVELAND

State:OH ZIP:44104 Country:US

Phone:800-626-6527

CAGE:NOVAG

Company Name: NSCG INC

Address:5109 HAMILTON AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44114 Country:US

Phone:216-881-8111

CAGE:0Z334

Company Name: THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893 Country:US

Phone:215-743-8200

CAGE:2B613

======= Composition/Information on Ingredients ========

Ingred Name:ZINC NAPHTHALATE (CAS 120001-85-3)

Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SILICA, AMORPHOUS (FUMED)

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 0.5-5%

Other REC Limits: NONE RECOMME

NDED

OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

=========== Hazards Identification ==========================

LD50 LC50 Mixture: ORAL LD50: UNKNOWN.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION. INHALATION & INGESTION ARE NOT ANTICIPATED DURING INDUSTRIAL USE.

Explanation of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA.

Effects of Overexposure: EYES-IRRITATION. SKIN-IRRITATION.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES, HOLD LIDS OPEN. GET MEDICAL ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP & WATER. SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST. INHALED-REMOVE TO FRE SH AIR. REST

ORE BREATHING AS NEEDED. INGESTED-DO NOT INDUCE VOMITING! IF CONSCIOUS, GIVE 1-2 GLASSES WATER OR MILK & SEEK MEDICAL ATTENTION. Flash Point Method:COC Flash Point:>392F,>200C Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER. ========= Accidental Release Measures ============ Spill Release Proce dures: SCRAPE UP & PLACE IN A CONTAINER FOR SALVAGE OR DISPOSAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID CONTACT WITH SKIN & EYE. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: NONE NEEDED. Protective GI oves:CLOTH/RUBBER GLOVES. Eye Protection: SAFETY GLASSES. Other Protective Equipment: EYEWASH STATIONS. Work Hygienic Practices: WASH AFTER ANY CONTACT. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:V7 Boiling Pt:B.P. Text:>572F,>300C Spec Gravity:1.04 Solubility in Water: INSOLUBLE. Appearance and Odor:PASTE, SLIGHT ODOR. Percent Volatiles by Volume: