View NSN Online: https://aerobasegroup.com/nsn/8010-00-900-2940

SAFETY COATING -- TT-P-115 F TYPE II CLASS I WHITE -- 8010-00-900-2940

Product ID:TT-P-115 F TYPE II CLASS I WHITE MSDS Date:06/24/1997 FSC:8010 NIIN:00-900-2940 MSDS Number: CGNHD === Responsible Party === **Company Name:SAFETY COATING** Address: HIGHWAY 59 NORTH Box:399 City:FOLEY State:AL ZIP:36536 Country:US Info Phone Num:334-943-1638 Emergency Phone Num:800-424 -9300 (CHEMTREC) CAGE:KO024 === Contractor Identification === **Company Name:SAFETY COATING** Address: HIGHWAY 59 NORTH Box:399 City:FOLEY State:AL ZIP:36536 Country:US Phone:334-943-1638 CAGE:KO024 Ingred Name: PETROLEUM NAPHTHA (SARA 313) CAS:64742-89-8 Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:100 PPM

Ingred Name:TOLUENE (TOLUOL) (SARA 313) (CERCLA) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 4-5% Other RE C Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:100 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE CAS:1317-65-3 RTECS #:EV9580000 Other REC Limits:NONE RECOMMENDED ACGIH TLV:10 MG/M3

Ingred Name:PERCHLOROETHYLENE (CERCLA) CAS:127-18-4 RTECS #:KX3850000 Other REC Limits:NONE RECOMMENDED OSHA PEL:25 PPM ACGIH TLV:25 PPM EPA Rpt Q ty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA) CAS:67-64-1 RTECS #:AL3150000 Other REC Limits:NONE RECOMMENDED OSHA PEL:750 PPM ACGIH TLV:750 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ORGANO MONTMORILLIONITE (NON-HAZARDOUS INGREDIENTS) Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Ingred Name:SHORT OIL RESIN SOLIDS (NON-HAZARDOUS INGREDIENTS) Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

| Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: STINGING, TEARING, REDNESS, SWELLING. SKIN: DRYNESS, IRRIT. INHAL: NASAL AND RESPIRATORY IRRIT, DIZZY, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUS, DEATH. INGEST: GI IRRIT, NAUSEA, VOMIT. AS PIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL . CHRONIC: INHAL: LIVER/KIDNEY/BRAI DAMAGE. |
|--|
| ====================================== |
| First Aid:EYE: FLUSH W/WATER. SKIN: WASH W/SOAP AND WATER. WASH CLOTHES BEFORE REUSE. INHAL: REMOVE TO FRESH AIR. INGEST: DONT INDUCE VOMIT. GET MED AID. |
| ====================================== |
| Flash Point Method:TOC Flash Point:30 TO 40F Lower Limits:1.0 Upper Limits:7.0 Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL AND HALON. Fir e Fighting Procedures:USE SCBA W/FULL-FACE PIECE OPERATED IN PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE. |
| Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT SOURCES. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG GROUND. EMPTY CONTAINERS (W/RESIDUE) ARE FLAMMABLE. |
| ====================================== |
| Spill Release Procedures:SOAK UP W/ABSORBENT MATERIAL AND DEPOSIT IN A SAFE CONTAINER. |
| ====================================== |
| Handling and Storage Precautions: DONT PUT EMPTY OR FULL CONTAINERS NEAR ANY HEAT SOURCES. |
| ====================================== |
| Respiratory Protection:NIOSH APPROVED SCBA. Ventilation:LOCAL EXHAUST OR MECHANICAL (GENERAL) Protective Gloves:REQUIRED Eye Protection:REQUIRED Other Protective Equipment:IMPERVIOUS CLOTHES AND SHOES Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE. Supplemental Safety and Health NK |

hemical Properties =================

Boiling Pt:B.P. Text:215F,102C Melt/Freeze Pt:M.P/F.P Text:LIQUID Vapor Pres:60-70 Vapor Density:3.00-4.00 Spec Gravity:1.50-1.60 Evaporation Rate & amp; Reference:2-3 (BUAC)=1 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE, PETROLEUM ODOR.

Stability Indicator/Materials to Avoid:YES WATER Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods: IN POSTED TOXIC LANDFILL ACCORDING TO STATE, LOCAL AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this d

ocument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.