

SAFETY COATING -- FED SPEC TT-P-1952 D TYPE I LEAD FREE WHITE -- 8010-01-017-1512

===== Product Identification =====

Product ID:FED SPEC TT-P-1952 D TYPE I LEAD FREE WHITE

MSDS Date:06/24/1997

FSC:8010

NIIN:01-017-1512

MSDS Number: CGNHZ

=== Responsible Party ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Info Phone Num:334-943-1638

Emerg

ency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO024

=== Contractor Identification ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Phone:334-943-1638

CAGE:KO024

===== Composition/Information on Ingredients =====

Ingred Name:OXYGENATED HYDROCARBON (TEXANOL)

CAS:25265-77-4

RTECS #:UF6000000

Other REC Limits:NONE RECOMMENDED

Ingred Name:METHANOL (SARA 313) (CERCLA)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 2-4.0%

Other

REC Limits:NONE RECOMMENDED

OSHA PEL:200 MG/M3

ACGIH TLV:260 MG/M3

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:10 MG/M3

Ingred Name:2 HYDROXYMETHYL-AMINO

CAS:52299-20-4

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER (NON-HAZARDOUS INGREDIENT)

Other REC L

imits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

Ingred Name:ACRYLIC POLYMER (NON-HAZARDOUS INGREDIENT)

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

Ingred Name:SOAP DISPERSION (NON-HAZARDOUS INGREDIENTS)

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRITATION, REDNESS, BLURRED VISION. SKIN: IRRITATION, DEFATTING, DERMATITIS. INHAL: NAUSEA, RESPIRATORY IRRITATION, DIZZY, WEAKNESS, FATIGUE, HEADACHE. INGEST: BLINDNESS, UPSET STOMACH. CHRONIC: EYE DAMAGE IF SWALLOWED.

=====
First Aid Measures
=====

First Aid:INGEST: DONT INDUCE VOMIT. GET IMMED MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

F

Flash Point:NON-COMBUSTIBLE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:CO2, WATER, HALON, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SOAK UP W/ABSORBENT MATERIAL AND PLACE IN A SAFE CONTAINER. THOROUGHLY WASH AREA W/WATER BEFORE MATERIAL DRIES.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP FROM FREEZING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:PAINT MASK

Ventilation:LOCAL EXHAUST OR MECHANICAL (GENERAL)

Protective Gloves:REQUIRED

Eye Protection:REQUIRED

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:210 TO 220F

Melt/Freeze Pt:M.P/F.P Text:LIQUID

Vapor Pres:15-25

Vapor Density: