

ARMSTRONG WORLD INDUSTRIES INC -- 520 ADHESIVE -- 8040-01-017-1517

=====  
Product Identification  
=====

Product ID:520 ADHESIVE

MSDS Date:03/19/1993

FSC:8040

NIIN:01-017-1517

MSDS Number: CGNJB

=== Responsible Party ===

Company Name:ARMSTRONG WORLD INDUSTRIES INC

Address:313 WEST LIBERTY STREET

Box:3001

City:LANCASTER

State:PA

ZIP:17604

Country:US

Info Phone Num:717-396-2328 /FAX 717-396-4426

Emerg

ency Phone Num:717-396-2328

CAGE:03938

=== Contractor Identification ===

Company Name:ARMSTRONG WORLD INDUSTRIES, INC.

Address:313 W. LIBERTY ST.

Box:3209

City:LANCASTER

State:PA

ZIP:17604

Country:US

Phone:717-396-2328; 717-396-2935

CAGE:03938

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 25.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:750 PPM

ACGIH TLV:750 PPM

EPA Rpt Qty:5000 LBS

DO

T Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 16.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (CERCLA)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 34.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:SYNTHETIC RUBBER

CAS:9010-98-4

RTECS #:EI9640000

Fraction by Wt: 13.0%

Other REC

Limits:NONE RECOMMENDED

Ingred Name:PHENOLIC RESIN

Fraction by Wt: 9.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:RUBBER CURING INGREDIENTS

Fraction by Wt: 3.0%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: DRYING,  
CRACKING, DERMATITIS. INHAL: RESPIRATORY TRACT IRR

ITATION,

COUGHING, HEADACHE, DIZZY, DROWSY, NAUSEA, INCOORDINATION.

Medical Cond Aggravated by Exposure:ANY CONDITION AGGRAVED BY SOLVENTS,  
PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASES.

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH W/WATER. SKIN: FLUSH W/WATER. WASH W/SOAP & WATER.  
INHAL: REMOVE TO FRESH AIR. IN ALL CASES, GET IMMED MED AID.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC

Flash Point:67C

Spec Gravity:0.83

pH:NA

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW COLORED LIQUID, W/CHARACTERISTIC SOLVENT  
ODOR.

Percent Volatiles by Volume:75.0

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:OXIDES OF CARBON AND OTHER TOXIC

VAPORS AND GASES THAT ARE COMMON TO THERMAL DEGRADATION OF ORGANIC  
COMPOUNDS.

=====  
Dispos  
al Considerations  
=====

Waste Disposal Methods:INCINERATE OR OTHER METHOD APPROVED FOR  
IGNITABLE WASTE IN ACCORDANCE W/FEDERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.