

SAFETY COATING -- FED SPEC TT-P-1952 D TYPE I LEAD FREE YELLOW -- 8010-01-019-1776

===== Product Identification =====

Product ID:FED SPEC TT-P-1952 D TYPE I LEAD FREE YELLOW

MSDS Date:06/24/1997

FSC:8010

NIIN:01-019-1776

MSDS Number: CGNJC

=== Responsible Party ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Info Phone Num:334-943-1638

Eme

rgency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO024

=== Contractor Identification ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Phone:334-943-1638

CAGE:KO024

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:METHANOL (SARA 313)
CAS:67-59-1
Fraction by Wt: 2-4%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM
ACGIH TLV:260 MG/M3

Ingred Name:2 HYDROXY METHYL-AMINO
CAS:52299-20-4
Other REC Limits:NONE RECOMMENDED

Ingred Name:OXYGENATED HYDROCARBON (TEXANOL)
CAS:25265-77-4
RTECS #:UF6000000
Other REC Limits:NONE RECOMMENDED

Ingred Name:HANSA YELLOW XT (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT R
ELEVANT

Ingred Name:WATER (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:ACRYLIC POLYMER (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:SOAP DISPERSION (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====
===== Hazards Identification =====

Routes of Entry: Inhalatio

n:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION, REDNESS, BLURRED
VISION. SKIN: IRRITATION, DEFATTING, DERMATITIS. INHAL: NAUSEA,
RESPIRATORY IRRITATION, DIZZY, WEAKNESS, FATIGUE, HEADACHE. INGEST:
BLINDNESS, UPSET STOMACH. CHRONIC: EYE DAMAGE IF SWALLOWED.

=====
===== First Aid Measures =====

First Aid:INGEST: DONT INDUCE VOMIT. GET IMMED MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, WATER, HALON, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP W/ABSORBENT MATERIAL AND PLACE IN A
SAFE CONTAINER. THOROUGHLY WASH AREA W/WATER BEFORE MATERIAL DRIES.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAINT MASK
Ventilation:LOCAL EXHAUST OR MECHANICAL (GENERAL)
Protective Gloves:REQUIRED
Eye Protection:REQUIRED
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:205F,96C
Melt/Freeze Pt:

M.P/F.P Text:LIQUID

Vapor Pres:20-25

Vapor Density: