View NSN Online: https://aerobasegroup.com/nsn/8030-01-152-0969

W. CANNING,INC -- HYLOMAR UNIVERSAL BLUE -- 8030-01-152-0969

Product ID:HYLOMAR UNIVERSAL BLUE

MSDS Date:07/06/1994

FSC:8030

NIIN:01-152-0969

MSDS Number: CGNJL === Responsible Party ===

Company Name: W. CANNING, INC Address: 223 NORTH BROCKMAN ST

City:PASADENA

State:TX ZIP:77506 Country:US

Info Phone Num:800-424-9300 (CHEMTREC) Emergency Phone Num:800-424-9300 (CH

EMTREC)

Preparer's Name: OLIVER W BARR

CAGE:K0136

=== Contractor Identification ===

Company Name: WILLIAM CANNING LIMITED

Address:HYLO HOUSE, CALE LANE Box:City:NEW SPRINGS, WIGAN

Country:UK

Phone:0942-824242

CAGE:K0136

======= Composition/Information on Ingredients ========

Ingred Name:DICHLOROMETHANE (SARA 313) (CERCLA)

CAS:75-09-2

RTECS #:PA8050000

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:174 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: POLYESTER POLYOL

Other R

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITANT, DEFATTER. INHAL: NARCOTIC, TOXIC, DIZZY, HEADACHE, NARCOSIS, COMA. INGEST: NARCOTIC, TOXIC. Medical Cond Aggravated by Exposure:PERSONS WITH ANGINA OR HEART DISEASE OR THOSE WHO ARE HEAVY DRINKERS OR SMOKERS SHOULD NOT BE EXPOSED TO THIS PRODUCT.
======================================
First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES. SKIN: FLUSH WITH WATER FOR 15 MINUTES. REMOVE CONTAM CLOTHES. INGEST: DONT INDUCE VOMIT. INHAL: GET FRESH AIR. TREAT SYMPTOMS. IN ALL CASES, GET MEDICAL ATTENTION.
======================================
Flash Point Method:COC Flash Point:165F,74C Lower Limits:13% Upper Limits:22% Extinguishing Medi a:FOAM, DRY CHEMICAL, CO2. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:PHOSGENE AND CHLOROHYDROCARBONS WILL BE PRODUCED AT HIGH TEMPERATURES AND IN PRESENCE OF OPEN FLAME.
========= Accidental Release Measures ===========
Spill Release Procedures:ALLOW SOLVENT TO EVAPORATE IN FORCED DRAUGHT. SCRAPE UP PUTTY & PLACE IN CONTAINER FOR DISPOSAL. VENTILATE CONFINED SPACE. KEEP FROM WATER COURSES & SEWERS.
=========== Handling and Storage ==

EC Limits:NONE RECOMMENDED

Handling and Storage Precautions: STORE BETWEEN 5C AND 35C. KEEP AWAY FROM FOODSTUFFS. DONT EAT, DRINK, OR SMOKE WHILE USING.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: IF IT IS POSSIBLE TO GENERATE SIGNIFICANT LEVELS OF VAPORS OR MISTS, A NIOSH APPROVED OR EQUIVALENT RESPIRATOR IS RECOMMENDED.

Ventilation: GENERAL VENTILATION IS RECOMMENDED.

Protective Gloves: IMPERMEABLE GLOVES Eye Protection: CHEMCIAL SPLASH GOGGL

Other Protective Equipment: SAFETY SHOWER, EYE BATH, WASHING FACILITIES SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH THOROUGHLY AFTER USE. DONT EAT, DRINK, OR SMOKE WHILE USING. WASH CONTAM CLOTHES BEFORE REUSE.

Supplemental Safety and Health

NK

======== Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:104F,40C Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:400 @ 25C Vapor Density:2.9 Spec Gravity:1.3 @ 20C AN:Ha

Evaporation Rate & Dry Reference: 25 (BU

AC=1) (SOLVENT) Solubility in Water: