

WERTH SANITARY SUPPLY COMPANY, INC. -- CLEAN-N-POLISH -- 7930-01-440-0246

=====
Product Identification
=====

Product ID:CLEAN-N-POLISH

MSDS Date:03/03/1996

FSC:7930

NIIN:01-440-0246

MSDS Number: CGNQV

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY COMPANY, INC.

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020

Country:US

Info Phone Num:800-535-5053

Emergency Phone Num:800-53

5-5053

CAGE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====
Hazards Identification
=====

Routes of Entry: Inhalatio

n:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: PERMANENT DAMAGE, IRRIT. SKIN:
IRRIT, DERMATITIS. INHAL: HEADACHE, NAUSEA, IRRIT OF
NOSE/THROAT/LUNGS.
Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISEASE MAY BE
AGGRAVATED.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. CONTACT LENSES SHOULD BE
REMOVED IF INITIAL FLUSH DOESN'T WASH
THEM OUT. SKIN: WASH W/SOAP &
WATER. REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE USE. INHAL: REMOVE
TO FR ESH AIR. INGEST: DRINK TWO GLASSES OF WATER. IN ALL CASES,
GET IMMED MED AID.

=====
Fire Fighting Measures
=====

Flash Point Method:SCC
Flash Point:>300F,>149C
Autoignition Temp:Autoignition Temp Text:NE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM,
WATER FOG, CO2.
Fire Fighting Procedures:AVOID USE OF WATER.
Unusual Fire/Explosion Hazard:DENSE SMOKE. FIRE FIGHTERS SHOULD USE
SCBA.

=====
Accidental Release Measures
=====

Spill Release Procedures:SPILLS ARE SLIPPERY. ELIMINATE ALL IGNITS.
DIKE & CONTAIN W/INERT ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A DRY AREA. KEEP CONTAINER
TIGHTLY CLOSED. KEEP FROM FREEZING.
Other Precaut

ions:KEEP AWAY FROM CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/OSHA APPROVED RESPIRATOR W/ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMITS.

Ventilation:LOCAL VENTILATION

Protective Gloves:OIL RESISTANT

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EMERGENCY SAFETY SHOWER & EYE WASH FOUNTAIN NEAR WORK AREA.

Supplemental Safety and Health

NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:20.0

Vapor Density: