

FREECOM INC -- CERAM-KOTE 54 -- 8010-01-423-0392

===== Product Identification =====

Product ID:CERAM-KOTE 54
MSDS Date:09/09/1997
FSC:8010
NIIN:01-423-0392
MSDS Number: CGWFY
=== Responsible Party ===
Company Name:FREECOM INC
Address:MCMAHON/WRINKLEAIR PK BLDG 1103
Box:2119
City:BIG SPRING
State:TX
ZIP:79721-2119
Country:US
Info Phone Num:800-346-4299/915-263-8497
Emergency Phone Num:915-263-8021
/915-263-6806
CAGE:0U675
=== Contractor Identification ===
Company Name:FREECOM INC
Address:MCMAHON/WRINKLEAIR PK BLDG 1103
Box:2119
City:BIG SPRING
State:TX
ZIP:79721-5000
Country:US
Phone:915-263-8021/915-263-4234
CAGE:0U675

===== Composition/Information on Ingredients =====

Ingred Name:DIETHYLENETRIAMINE, ETHYLENEDIAMINE, N-(2-AMINOETHYL);
BIS(2-AMINOETHYL)AMINE *98-1*
CAS:111-40-0
RTECS #:IE1225000
Fraction by Wt: 2-3%
Other REC Limits:4 MG/CUM
ACGIH TLV:1 PPM

(SKIN)

Ingred Name:BISPHENOL A, BISPHENOL; 2,2-BIS-4'-HYDROXYLPROPAN *98-1*

CAS:80-05-7

RTECS #:SL6300000

Fraction by Wt: 2-3%

Ingred Name:MODIFIED ALIPHATIC AMINE

Fraction by Wt: 2-3%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: BURNS. INGESTION: CAN BURN MOUTH. CAN CAUSE ALLERGIC SKIN & RESPIRATORY REACTIONS.

Expl

anation of Carcinogenicity:NONE

Effects of Overexposure:BURNS, NAUSEA, VOMITING, DIARRHEA, ABDOMINAL PAIN, COLLAPSE.

Medical Cond Aggravated by Exposure:PERSONS W/A HISTORY OF ALLERGIC CONDITIONS.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF NEEDED. EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/MILD SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CA S ES.

=====
===== Fire Fighting Measures =====

Flash Point:>200F

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:USE SCBA.

Unusual Fire/Explosion Hazard:DECOMPOSITION & COMBUSTION PRODUCTS MAY BE TOXIC.

=====
===== Accidental Release Measures =====

Spill Release Procedures:AVOID PERSONAL CONTACT. TAKE UP W/ABSORBENT MATERIAL. SHOVE INTO CLOSABLE CONTAINERS. FLUSH CONTAMINATED AREA W/WATER.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CHEMICAL CARTRIDGE RESPIRATOR, IF
NEEDED.

Ventilation:GOOD GENERAL MECHANICAL IS RECOMMENDED. LOCAL EXHAUST:
RECOMMENDED.

Protective Gloves:IMPERVIOUS RUBBER

Eye Protection:SPLASH PROOF CHEMICAL GOGGLES

Other Protective Equipment:N/K

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:392F

Vapor Density:>1

Sp

ec Gravity:1.07

pH:11

Solubility in Water: