View NSN Online: https://aerobasegroup.com/nsn/6850-01-444-1124

Product ID:COUNTER ASSAULT OC-10

MSDS Date:01/01/1998

FSC:6850

NIIN:01-444-1124

MSDS Number: CGXHY === Responsible Party ===

Company Name: COUNTER ASSAULT

Address:300 CATLIN #2

Box:4721

City:MISSOULA

State:MT ZIP:59806 Country:US

Info Phone Num:800-695-3394

Emergency Phone Num:800-695-3394

CAGE:082C9

==

= Contractor Identification ===

Company Name: BUSHWACKER BACKPACK AND SUPPLY CO

Address:836 HOLT DR SUITE 306

Box:City:BIGFORK

State:MT ZIP:59911 Country:US

Phone: 406-886-2410

Contract Num:SP045099MC477

CAGE:1EFK1

Company Name: COUNTER ASSAULT

Address:120 INDUSTRY CT

Box:City:KALISPELL

State:MT ZIP:59901 Country:US

Phone: 406-257-4740

CAGE:082C9

====== Composition/Information on Ingredients ========

Ingred Name: OLEORESIN CAPSICUM

= Wt:10.

Other REC Limits: NONE RECOMMENDED

Ingred Na

me:DUPONT 134A HFC PROPELLANT CAS:811-97-2 Other REC Limits:NONE RECOMMENDED

========== Hazards Identification =============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE-THIS PRODUCT IS AN EYE IRRITANT.

SKIN: EXCESSIVE SKIN CONTACT WITN THE LIQUID MAY CAUSE FROSTBITE. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR

GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE-TEARING AND REDNESS MAY OCCUR. SKIN-EXCESSIVE SKIN CONTACT WITH THE LIQUID MAY CAUSE FROSTBITE. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE-REMOVE CONTACT LENSES. FLUSH EYES WITH LARGE QUANTITIES OF WATER. SKIN-WASH AREA WITH SOAP & WATER TO AVOID FUTHER EXPOSURE. DO NOT APPLY SALVES OR OTHER

SKIN DRESSING WHICH MAY TRAP

THE PEPPER AG AINST THE SKIN. INHALATION-INFLAMMATORY. RESPIRATORY IRRITATION MAY CAUSE FEELING OF RESTRICTED AIRWAYS. MOVE SUBJECT TO FRESH AIR AS SOON AS POSSIBLE. INGESTION-SEVERE HEARTBURN SENSATION MAY CAUSE NAUSEA. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN. DO NOT INDUCE VOMITING.

============ Fire Fighting Measures =========================

Flash Point Method:TOC

Flash Point:NON-FLAMMABLE

Lower Limits: NOT GIVEN

Upper Limits:NO

T GIVEN

Extinguishing Media:THIS MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA APPROPIATE FOR SURROUNDING AREA.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS & STRUCTURES EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:DO NOT EXPOSE TO HEAT OR FLAME, OR STOVE ABOVE 120F. HIGH INTERNAL PRESSURES MAY CAUSE CYLINDERS TO RUPTURE.

====== Accidental Release

N 4	
Measures	 _

Spill Release Procedures: VENTILATE AREA. REMOVE SOURCES OF IGNITION.
AVOID PROLONGED BREATHING OF VAPORS. CONFINE SPILL WITH INERT
ABSORBENT. WEAR PROTECTIVE EQUIPMENT. KEEP OUT OF SEWERS, STORM
DRAINS, SURFACE WATERS AND SOI L.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

========== Handling and Storage ===============

Handling and Storage Precautions:STORE IN COOL, DRY AREA, AWAY FROM SOURCES OF IGNITION. WHEN STORING LA

RGE QUANTITIES, PROTECT AGAINST

FIRE. DO NOT STORE IN DIRECT SUNLIGHT OR >120F.

Other Precautions:DO NOT TAKE INTERNALLY. IF INGESTED, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL TYPE FILTER SYSTEM TO REMOVE A COMBINATION OF PARTICLES, GAS AND VAPORS. USE AIR LINE, IF NECESSARY.

Ventilation: USE ADEQUATE VENTILATION IN VOLUME & PATTERN TO KEEP

PEL/TLV BELOW RECOMMENDED LEVELE. GENERAL MECHANICAL VENTILATION SHOULD COMPLY WITH OSHA 1910.94.

Protective Gloves: USE RUBBER GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES WITH SPLASH GUARDS OR SIDE SHIELDS.

Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO CONTAMINATED CLOTHING.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

DO NOT TAKE INTERNALLY. IF

INGESTED, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.

======== Physical/Chemical Properties ==========

HCC:V2

Boiling Pt:=6.9C, 44.4F

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:71 PSIA Vapor Density:3.04 Spec Gravity:1.12

Evaporation Rate & Dr. Reference: NOT GIVEN

Solubility in Water:1.2 %

Appearance and Odor:AMBER TO LIGHT RED APPERANCE, SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:90%

======= Stability and Reac

tivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS, ALKALIS, ORGANIC ACID ANHYDRIDES, OXIDIZING MATERIALS, SODIUM, POTASSIUM AND MAGNESIUM. Stability Condition to Avoid:HIGH TEMPERATURE SOURCES WHICH MAY INDUCE DECOMPOSITION. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
========= Ecological Information ============
Ecological:ZERO OZONE DEPLETING POTENTIAL. NEGLIGIBLE GLOBAL WARMING POTENTIAL.
====== ====== Disposal Considerations ============
Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
======== MSDS Transport Information ==========
Transport Information:AEROSOL; SELF-DEFENSE SPRAY. ORM-D CONSUMER COMMODITY.
========== Other Information ============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.