

DOW CORNING CORP -- G-N METAL ASSEMBLY PASTE -- 8030-00-831-4171

=====  
Product Identification  
=====

Product ID:G-N METAL ASSEMBLY PASTE

MSDS Date:08/08/1995

FSC:8030

NIIN:00-831-4171

MSDS Number: CGXMY

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900

CAG

E:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:ELLSWORTH ADHESIVE SYSTEM

Box:UNKNOW

CAGE:0HNT2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENT-REFINED LIGHT PARAFFINIC PETROLEUM DISTILLATE

CAS:9010-79-1

Fraction by Wt: 48.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

Ingred Name:MOLYB

DENUM DISULFIDE  
CAS:1317-33-5  
RTECS #:QA4697000  
Fraction by Wt: 16.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:ZINC PYROPHOSPHATE  
CAS:7446-26-6  
Fraction by Wt: 13.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYLENE DISTEARYLAMIDE  
Fraction by Wt: 3.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA, AMORPHOUS  
Fraction by Wt: 2.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:ALUMINUM PHOSPHATE  
CAS:7784-3  
0-7  
RTECS #:TB6450000  
Fraction by Wt: 2.0%  
Other REC Limits:NONE RECOMMENDED  
ACGIH TLV:2 MG/M3

Ingred Name:HYDROTREATED NEUTRAL OIL, C15-C30  
CAS:72623-83-7  
Fraction by Wt: 2.0%  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRIT, REDNESS, SWELLING. SKIN:  
DEFATTING, DERMATITIS. INHAL: DRO

WSY, IRRIT TO NOSE/THROAT, NS  
INJURY. INGEST: SLIGHT INJURY.

=====  
First Aid Measures  
=====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: REMOVE AND WASH  
W/SOAP AND WATER OR WATERLESS CLEANSER. INHAL: REMOVE TO FRESH AIR.  
INGEST: CALL DR. IN ALL CASES, GET IMMED MED AID.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point:>212F,>100C  
Extinguishing Media:WATER, WATER FOG OR SPRAY, CARBON  
DIOXIDE, DRY  
CHEMICAL, FOAM.  
Fire Fighting Procedures:USE SCBA AND PROTECTIVE CLOTHES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCRAPE UP AND CONTAIN FOR SALAVAGE/DISPOSAL.  
OBSERVE ALL PERSONAL PROTECTION EQUIPMENT RECOMMENDED.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:USE REASONABLE CARE.  
Other Precautions:THERMAL BREAKDOWN OF PRODUCT DURING FIRE/HIGH HEAT  
MAY EVOLVE HA  
ZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES, TRACES  
OF INCOMPLETELY BURNED CARBON COMPOUNDS, FORMALDEHYDE, METAL  
OXIDES, SULFUR OXIDES , NITROGEN OXIDES, PHOSPHOROUS OXIDES.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE RESPIRATORY PROTECTION UNLESS ADEQUATE LOCAL  
EXHAUST VENTILATION IS PROVIDED OR AIR SAMPLING DATA SHOWS  
EXPOSURES ARE WITHIN RECOMMENDED GUIDELINES. USE  
ORGANIC/VAPOR/DUST/MIST TYPE RESPIRATOR.

Ventilation:L

OCAL EXHAUST OR GENERAL VENTILATION RECOMMENDED.

Protective Gloves:NEPRENE, NITRILE, POLYVINYL ALCOHOL

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:WASH AT MEALTIME AND END OF SHIFT. CONTAM  
CLOTHES/SHOES SHOULD BE REMOVED AS SOON AS PRACTICAL, WASH BEFORE  
REUSE.

Supplemental Safety and Health

NK

=====  
Physical/Chemical Properties  
=====

HCC:V6

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.35 @ 25

C

pH:NA

Viscosity:NA

Solubility in Water:NE

Appearance and Odor:CHARCOAL GRAY PASTE, SLIGHT ODOR.

Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS CAN CAUSE A REACTION.

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.