

DOW CORNING CORP -- DOW CORNING (R) S CATALYST -- 8030-00-965-6704

=====
Product Identification
=====

Product ID:DOW CORNING (R) S CATALYST

MSDS Date:12/28/1995

FSC:8030

NIIN:00-965-6704

Kit Part:Y

MSDS Number: CGXNP

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:5

17-496-5900

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:ELLSWORTH ADHESIVE SYSTEM

Box:UNKNOW

CAGE:0HNT2

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 16.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:DIBUTYLTIN DILAURATE
Fraction by Wt: 5.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

Ingred Name:C.I. PIGMENT BLUE 28
Fraction by Wt: .1%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: BURNS, PERMANENT INJURY,
BLINDNESS. SKIN: IRRIT, BURNS, ALLERG
IC SENSITIZATION. INHAL: IRRIT
TO NOSE/THROAT, ALLERGIC SENSITIZATION. INGEST: SERIOUS INJURY.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: REMOVE AND FLUSH
W/COOL WATER FOR 15 MINUTES. INHAL: REMOVE TO FRESH AIR. INGEST:
CALL DR. IN ALL CASES, GET IMMED MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>214F,>101C
Extinguishing Media:WATER SPRA
Y, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE WATER TO COOL CONTAINERS. USE SCBA AND
PROTECTIVE CLOTHES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:MOP UP, WIPE UP, SOAK UP W/ABSORBENT AND
CONTAIN FOR SALVAGE/DISPOSAL. CLEAN ANY REMAINING SLIPPERY SURFACE.
NON SILICONES: USE TYPICAL INDUSTRIAL CLEANING MATERIAL. OBSERVE
SAFETY PRECAUTIONS. LG SP: DIKE/KEEP FROM SPREADING.

=====
===== Handling an

d Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AND STORE AWAY FROM WATER OR MOISTURE.

Other Precautions:AFFECTS MAY BE DELAYED. IN TEMPS >180C, IN THE PRESENCE OF AIR, PRODUCT CAN FORM FORMALDEHYDE VAPORS. MAINTAIN SAFE HANDLING CONDITIONS BY KEEPING VAPOR CONCENTRATION WITHIN OSHA PERMISSIBLE EXPOSURE LIMITS FOR FORMALDEHYDE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR TYPE

Ventilation:LOCAL EXHAUST OR GENERAL VENTILATION RECOMMENDED

Protective Gloves:SILVER SHIELD

Eye Protection:CHEMICAL WORKER GOGGLES

Work Hygienic Practices:WASH AT MEALTIME AND END OF SHIFT. CHANGE CONTAM CLOTHES AS SOON AS POSSIBLE.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:NE

Vapor Density:NE

Spec Gravity:1.10 @ 25C

pH:NA

Solubility in Water:NE

Appearance and O

dor:BLUE VISCOUS LIQUID, FATTY ODOR.

Percent Volatiles by Volume:NE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS CAN CAUSE A REACTION.

Stability Condition to Avoid:WATER, MOISTURE OR HUMID AIR CAN CAUSE HAZARDOUS VAPORS TO FORM.

Hazardous Decomposition Products:CARBON OXIDES, TRACES OF INCOMPLETELY BURNED CARBON COMPOUNDS, SILICON DIOXIDE, FORMALDEHYDE, METAL OXIDES.

===== Disposa

I Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.