

NEW PIG CORP -- BLUE PIG SOCK ABSORBENT, MAT 204J -- 7930-01-436-8313

=====
Product Identification
=====

Product ID:BLUE PIG SOCK ABSORBENT, MAT 204J

MSDS Date:12/08/1995

FSC:7930

NIIN:01-436-8313

MSDS Number: CGZMS

=== Responsible Party ===

Company Name:NEW PIG CORP

Address:ONE PORK AVE

City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Info Phone Num:800-684-0101

Emergency Phone Num:800-468-4647

Pr

Preparer's Name:CAMERON W. SHERRY

CAGE:1JA49

=== Contractor Identification ===

Company Name:NEW PIG CORPORATION

Address:ONE PORK AVENUE

Box:City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Phone:800-468-4647

CAGE:1JA49

=====
Composition/Information on Ingredients
=====

Ingred Name:OUTER MATERIAL CONSISTING OF INGREDIENTS 2-3

RTECS #:9999999ZZ

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:CELLULOSE

CAS:9004-34-6

RTECS #:FJ5691460

Fraction by Wt: 3%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10

MG/M3

Ingred Name:POLY(OXYETHYLENEOXYTEREPHTHALOYL); (POLYESTER)

CAS:25038-59-9

RTECS #:TR2725000

Fraction by Wt: 2%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:INNER MATERIAL CONSISTING OF INGREDIENT 5

RTECS #:9999999ZZ

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:MAGNESIUM ALUMINOSILICATE MINERAL; (MAGNESIUM ALUMINOSILICATE)

CAS:1318-00-9

Fraction by Wt: 95%

OSHA PEL:N/K

ACGIH TLV:N/K

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE MINOR PHYSICAL OR MECHANICAL IRRITATION. INGESTION: NOT CONSIDERED HARMFUL. INHALATION: IF OUTER MATERIAL IS PUNCTURED, BREATHING OF EXCESSIVE AIRBORNE DUST MAY CAUSE SYMPTOMS TYPICAL OF NUISANCE DUSTS, IE COUGHING, SNEEZING OR MINOR UPPER RESPIRATORY IRRITATION. SKIN CONTACT: (EFTS OF OVEREXP)

Exp

lanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: NOT EXPECTED TO CAUSE ANY HARMFUL EFFECTS. CHRONIC: NOT APPLICABLE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION, BLINKING OR TEARING OCCUR AND PER SIST,

CONSULT MD. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST,
CONSULT MD.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:UNUSED FORM: WATER, CHEMICAL FOAM, DRY CHEMICAL OR
CARBON DIOXIDE. (NOTE:INNER MATERIAL IS NONFLAMMABLE.) (SUPDAT)

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT . UNUSED FORM: NOT APPLICABLE. USED FORM: REFER TO
ABSORBED LIQUID(S) MSDS(S).

Unusual Fire/

Explosion Hazard:REFER TO ABSORBED LIQUID(S) MSDS(S). THE
PIG ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR
LESS HAZARDOUS.

===== Accidental Release Measures =====

Spill Release Procedures:IF MATERIAL IS UNUSED, SWEEP OR VACUUM PRODUCT
AND DISPOSE OF AS A NONHAZARDOUS MATERIAL. IF SWEEPING, DAMPEN WITH
WATER SPRAY TO AVOID CREATING DUST.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT SUBJECT PRODUCT TO EXCESSIVE
HEAT. AVOID PUNCTURING OR TEARING OUTER MATERIAL. AVOID CREATING
DUST.

Other Precautions:REFER TO ABSORBED LIQUID(S) MSDS(S). THE PIG
ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR
LESS HAZARDOUS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED DUST RESPIRATOR IF MATERIAL
IS USED IN UNVENTILATED AREA OR
IF DUST CONCENTRATIONS EXCEED
SPECIFIED EXPOSURE LIMITS.

Ventilation:PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO KEEP
CONCENTRATIONS BELOW PEL/TLV.

Protective Gloves:CLOTH, CANVAS OR LEATHER GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SPEC GRAV: 0.05-0.19 (H*2O=1). MP: >1832F,>1000C. APPEAR/ODOR: SOCK;
EARTHY

ODOR. EXTING MEDIA: USED FORM: THAT WHICH IS COMPAT TO LIQ(S)
ABSORBED. WASTE DISP METH: A HAZARDOUS COMPONENT. IN SUCH INSTA
NCES THE MATERIAL SHOULD BE DISPOSED OF VIA AN APPROVED WASTE
DISPOSAL SERVICE AND THE APPROPRIATE MANIFESTING OBTAINED.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:SUPDAT

Spec Gravity:SUPDAT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FREE-FLOWING PARTICLES, BROWN TO GRAY IN COLOR,
ENCLOSE
D IN A FABRIC (SUPDAT)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

PRODUCT MAY BE AFFECTED BY ACIDS, BASES AND OXIDIZERS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:IF UNUSED, NO SPECIAL PRECAUTIONS ARE

NECESSARY. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL
REGULATIONS. IN CER

TAIN TYPES OF CLEANUP APPLICATIONS THE NATURE OF

THE MATERIAL RECOVERED WILL CLASSIFY THE RESULTING SPENT MATERIAL
AS (SUPDAT)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should see

seek competent professional advice to verify and

assume responsibility for the suitability of this information to their
particular situation.