

LOCTITE CORP -- PERMATEX PRUSSIAN BLUE NON-DRYING, 80038, 35V

=====  
MSDS Safety Information  
=====

FSC: 8010  
NIIN: 01-329-6150  
MSDS Date: 01/22/1996  
MSDS Num: CHFXB  
Product ID: PERMATEX PRUSSIAN BLUE NON-DRYING, 80038, 35V  
MFN: 01  
Responsible Party  
Cage: 7K128  
Name: LOCTITE CORP  
Address: 1001 TROUT BROOK CROSSING  
Ci  
ty: ROCKY HILL CT 06067-3910  
Info Phone Number: 860-571-5100  
Emergency Phone Number: 860-571-5100  
Preparer's Name: STEPHEN REPETTO  
Published: Y

=====  
Contractor Summary  
=====

Cage: 7K128  
Name: LOCTITE CORP  
Address: 705 N MT RD  
City: NEWINGTON CT 06111  
Phone: 312-689-6200  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100

=====  
Item Description Information  
=====

Item Name: PRUSSIAN BLUE PASTE,BEARING SURFACE  
=====

=====  
Ingredients  
=====

Cas: 8009-03-8  
RTECS #: SE6780000  
Name: PETROLATUM; (PARAFFINIC HYDROCARBON)  
% Wt: 80-85  
OSHA PEL: N/K (FP N)  
ACGIH TLV: N/K (FP N)

-----  
Cas: 14038-43-8  
RTECS #: L

J8200000

Name: FERRATE (4-), HEXACYANO-, IRON (3+) (3:4); (FERRIC FERROCYANIDE). OSHA  
PEL:10 MG/M3 DUST; 5 MG/M3 RESP (MFR).

% Wt: 5-10

OSHA PEL: SEE INGREDIENT

ACGIH TLV: 10 MG/M3 (MFR)

-----  
Cas: 64742-52-5

RTECS #: PY8035001

Name: MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (SEVERE) HEAVY  
NAPHTHENIC; (MINERAL OIL)

% Wt: 1-15

Other REC Limits: 5 MG/M3 MIST (MFR)

OSHA PEL: 5 MG/M3 MIST (MFR)

ACGIH TLV: 5 MG/M3 MIST (MFR)

-----  
Cas: 6474

2-53-6

RTECS #: PY8036001

Name: MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (SEVERE) LIGHT  
NAPHTHENIC; (MINERAL OIL, PETROLEUM DISTILLATES)

% Wt: 1-15

OSHA PEL: 5 MG/M3 (OIL MIST)

ACGIH TLV: 5 MG/M3 (OIL MIST)

-----  
RTECS #: 9999999VO

Name: VOLATILE ORGANIC COMPOUNDS (EPA METHOD 24): 1.1%; 96.8 G/L.

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED  
BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY CAUSE SKIN OR EYE IRRITATION. PROLONGED SKIN EXPOSURE  
MAY CAUSE DERMATITIS. INGESTION MAY CAUSE CRAMPS OR DIARRHEA. INHALATION MAY  
CAUSE PULMONARY IRRITATION. TARGET ORGAN AND OTHER HEALTH EFFECTS :  
PARAFFINIC HYDROCARBON; MINERAL OIL; MINERAL OIL, PETROLEUM DISTILLATES -  
IRRITANT.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And

Symptoms Of Overexposure: IRRITATION OF EYES, SKIN OR PULMONARY  
ORGANS. CRAMPS OR DIARRHEA.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: INGEST:DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL  
ATTENTION. INHAL:REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL  
ATTENTION. SKIN:WASH W/SOAP & WATER. EYES:FLUSH FOR AT LEA ST 15 MINUTES  
W/WATER. OBTAIN MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

=====  
Spill Release Procedures: REMOVE SOURCES OF IGNITION. SCRAPE UP AS MUCH AS  
POSSIBLE. RESIDUE MAY BE CLEANED W/SOLVENT OR SOAP & WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL  
REGULATIONS (FP N). INCINERATE FOLLOWING EPA & LOCAL REGULATIONS. NOT A  
RCRA HAZARDOUS WASTE MATERIAL.

Handling And Storage Precautions: STORE IN COOL PLACE AWAY FROM SOURCES O  
F

IGNITION. (CONTACT LOCTITE CUSTOMER SERVICE 1-800-243-4874 FOR SHELF LIFE  
INFORMATION).

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE  
EQUIPMENT (FP

N).

Unusual Fire/Explosion Hazard: NONE.

=====  
Control Measures  
=====

Respiratory Protection: NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF  
CONCERN (FP N).

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION OF ANY MISTS FORMED  
BELOW TLV.

Protective Gloves: OIL RESISTANT NEOPRENE/PLASTIC GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: E

YE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI  
DESIGN CRITERIA (FP N).

Work Hygienic Practices: USE W/NORMAL INDUSTRIAL HYGIENE PRACTICES.

Supplemental Safety and Health: HAZ DECOMP PROD:PRODUCTS FORMED BY FIRE OR  
THERMAL DECOMP: CARBON MONOXIDE, AMMONIA, FUMES, SMOKE. AT FLAME  
TEMPERATURES, SOME TOXIC CYANIDES MAY BE FORMED.

=====  
Physical/Chemical Properties  
=====

B.P. Text: >300F,&g  
>149C

Vapor Density: >1

Spec Gravity: 0.88

Solubility in Water: INSOLUBLE

Appearance and Odor: BLUE PASTE; PETROLEUM ODOR.  
=====

Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: NOT AVAILABLE.

Materials To Avoid: CONCENTRATED ACIDS, STRONG OXIDIZERS, STRONG ALKALIS.

Hazardous Decomposition Products: (NON-THERMAL):CONT W/HOT STRONG OXIDIZING  
AGENTS MAY RELS HCN. C

ONT W/STRONG ALAKALIS MAY RELS AMMONIA. HAZ (SUPP DATA)

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT  
=====

Toxicological Information  
=====

Ecological Information  
=====

MSDS Transport Informatio  
n  
=====

Regulatory Information  
=====

Other Information  
=====

Transportation Information  
=====

Responsible Party Cage: 7K128

Tran

s ID NO: 125799

Product ID: PERMATEX PRUSSIAN BLUE NON-DRYING, 80038, 35V

MSDS Prepared Date: 01/22/1996

Review Date: 06/24/1998

MFN: 1

Multiple KIT Number: 0

Review IND: Y

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code

: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: PERMATEX PRUSSIAN BLUE NON-DRYING, 80038, 35V

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 860-571-5100

Label Required IND: Y

Date Of Label Review: 06/02/1998

Status Code: C

Label Date: 06/02/1998

Origination

Eye

Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None

Hazard And Precautions: ACUTE:MAY CAUSE SKIN OR EYE IRRITATION. PROLONGED SKIN EXPOSURE MAY CAUSE DERMATITIS. INGESTION MAY CAUSE CRAMPS OR DIARRHEA. INHALATION MAY CAUSE PULMONARY IRRITATION. TARGET ORGAN AND OTHER HEALTH EFFECTS: PARAFFINIC HYDROCARBON; MINERAL OIL; MINERAL OIL, PETROLEUM DISTILLATES  
- IRRITANT. CHRONIC:NONE LISTED BY MANUFACTURER.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.