

THIRD COAST PACKAGING INC -- 01854 ATF MERCON/DEXRON III -- 9150-00-698-2382

=====
Product Identification
=====

Product ID:01854 ATF MERCON/DEXRON III
MSDS Date:05/02/1996
FSC:9150
NIIN:00-698-2382
MSDS Number: CHHPF
=== Responsible Party ===
Company Name:THIRD COAST PACKAGING INC
Address:18410 W CLOVER LN
Box:367
City:FRIENDSWOOD
State:TX
ZIP:77546
Country:US
Info Phone Num:800-782-7852
Emergenc
y Phone Num:281-482-9212/800-424-9300(CHEMTREC)
CAGE:0P418
=== Contractor Identification ===
Company Name:THIRD COAST PACKAGING INC
Address:18410 W CLOVER LN
Box:367
City:FRIENDSWOOD
State:TX
ZIP:77549
Country:US
Phone:281-482-9212;914-838-7204
CAGE:0P418

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT REFINED LIGHT PARAFFINIC PETROLEUM DISTILLATES,
50.00-64.99%.
CAS:64741-89-5
RTECS #:PY8041500
Fraction by Wt: SEE ING
Other REC Limits:NONE RECOMMEN

DED

Ingred Name:SOLVENT DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATESE),
HEAVY PARAFFINIC, 35.00-49.99%

CAS:64742-65-0

RTECS #:PY8038501

Fraction by Wt: SEE ING

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL; HYDROTREATED LIGHT NAPHTHENIC PETROLEUM
DISTILLATES, 1.00-2.99%.

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: SEE ING

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:METHACRYLIC ACID, COPOLYMER OF BUTYL, LAURY
L, STEARYL

ESTERS W/3-DIMETHYL-AMINOPROPYLMETHACRYLAMIDE

CAS:50867-55-5

Minumum % Wt:1.

Maxumum % Wt:2.99

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 >5.00G/KG (RAT) PRACT NONTOXIC

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE MIN IRRIT EXPERIENCED AS
TEMP DISCOMFT.SKIN:BRIEF CONTACT MAY CAUS

E SLIGHT IRRIT.PROL

CONTACT(AS W/CLOTH WETTED W/MATL)MAY CAUSE MORE SEVERE
IRRIT,DISCOMFT,SEEN AS LOC REDNESS,SWELLING.A CUTE ADVERSE EFFECTS
NOT EXPECTED FRM BRIEF CONTACT.INHAL:VAP/MIST IN EXCESS OF
PERMISSIBLE CONCEN/UNUSUALLY (SIGN/SYMP)

Explanation of Carcinogenicity:PER MSDS:PRODUCT &/OR COMPONENT(S)
CARCINOGENIC ACCORDING TO NONE.

Effects of Overexposure:HEALTH:HIGH CONCEN GENERATED FROM
SPRAYING/HEATING MATL/EXPO IN POORLY VENTI AREAS/CONFINED SPACES
MAY CAUSE

IRRIT OF OSE/THROAT,HEAD,NAU,DROWS.INGES:MORE THAN SEVERAL MOUTHFULS INGESTED ABDOMINAL DIS COMFT,NAU,DIARR MAY OCCUR.CHRONIC:NO ADVERSE EFFECTS HAVE BEEN DOCUMENTED IN HUMANS AS RESULT OF CHRONIC EXPO.

Medical Cond Aggravated by Exposure:BECAUSE OF THE IRRITATING PROPERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS(SKIN CONDITION).

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/PLENTY OF H2O FOR SEVERAL MINS.IRRIT PERSIST GET

MED ATTN.SKIN:WASH W/PLENTY OF SOAP/WATER FOR SEVERAL MINS.IRRIT DVLPS/PERSIST GET MED ATTN.INGEST:MORE THAN SEVERAL MOUTHFULS OF MATL INGES T GIVE 2 GLASSES OF H2O(16OZ).GET MED ATTN.INHAL:IRRIT/HEAD/NAU/DROWS OCCURS MOVE TO FRESH AIR.BREATH BECOMES DIFF/RESP IRRIT PERSIST GET MED ATTN.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:=201.7C, 395.F

Autoignition Temp:Autoignition Temp Text:N/DETR

Lower Limi

ts:N/DETERMINED

Upper Limits:N/DETERMINED

Extinguishing Media:USE H2OSPRAY,DRY CHEM,FOAM,CO2 TO EXINGUISH FLAMES.USE H2OSPRAY TO COOL FIRE-EXPO CNTNR.H2O OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND POSITIVE PRESSURE BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTI AREA.AVOID BREATH VAP.WEAR APPROP PPE INCLUDE APPROP RESP PROTECTION

.CONTAIN SPILL IF POSSIBLE.WIPEUP OR

ABSORB ON SUITABLE MATL & SHOVEL UP.PREVENT ENTRY INTO SEWERS & WATERWAYS.AVOID CONTACT W /SKIN/EYE/CLOTHING.>1142857LBS SPILL REPORT ACCORDING TO SARA 304/CERCLA 102(A) REQMTS UNLESS PROD QUALIFIES AS PETRO EXEMPT(CERCLA SEC 101(14)).

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HNDLG TEMS SHOULD BE MAINTAINED.PERI

ODS OF EXPO TO HIGH TEMPS SHOULD BE MINIMIZED.WATER
CONTAM SHOULD BE AVOIDED.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIRBORNE CONC SHOULD BE KEPT TO LOWEST LEVELS
POSSIBLE.VAP/MIST/DUST GENERATED & OCCUPATIONAL EXPO LIMIT OF
PROD/COMPO EXCEEDED USE APPROPR NIOSH/MSHA APPROV AIR PURIFY/AIR
SUPPL RESP AFT DETERMINING AIRBORNE CONC OF CONTAM.AIR SUPP RESP
SHOULD ALWAYS BE WORN

WHEN AIRBORNE CONC OF CONTAM OF OXY CONTENT
UNK.

Ventilation:ADEQUATE TO MEET COMPONENT OCCUPATIONAL EXPOSURE LIMITS.

Protective Gloves:WASH EXPO SKIN SEVERAL TIMES DAILY

Eye Protection:SAF GLASSES,CHEM TYPE GOGG,FCSHIELD

Other Protective Equipment:WASH EXPO SKIN SEVERAL TIMES DAILY

W/SOAP/WATER.SOILD WORK CLOTH SHOULD BE LAUNDERED/DRY CLEAN.

Work Hygienic Practices:REMOVE/DRYCLEAN(MORE EFFECTIVE THAN NORMAL
LAUNDERING)/LAUNDER CLOTH SOAK/SOIL W/MATL BEF REUSE.INFORM PERSON
RESP

ONSIBLE FOR CLEANING OF POT HAZ ASSOC W/HNDLG CONTAM CLOTH.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:N/DETERMIND

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:N/DETERMIN

Vapor Density:N/DETERMIN

Spec Gravity:0.869

VOC Pounds/Gallon:38

pH:NA

Viscosity:32.2CST @40C

Evaporation Rate & Reference:NP

Solubility in Water:N/DETERMINED

Appearance and Odor:RED LIQUID, SLIGHT ADDITIVE ODOR

Pe

Percent Volatiles by Volume:NP
Corrosion Rate:NP

===== Stability and Reactivity Data =====

RXS VIOLENTLY W/STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE,
CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

===== Disposal Considerations =====

Waste Disposal Methods:PROD HAS BEEN EVALUATED FOR RCRA
CHARACTERISTICS-DOESNT MEET CRITERIA O

F HAZ WASTE IF DISCARDED IN

PURCHASED FORM.UNDER RCRA ITS RESPONSIBILITY OF USER OF PROD TO
DETERMINED @DISPO TIME WHETHER MEETS RCRA CRITERIA FOR HAZ
WASTE.BECAUSE PROD USE, TRANSFORM, MIX, ETC MAY RENDER RESULTING
MATL HAZ.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.