View NSN Online: https://aerobasegroup.com/nsn/8040-01-027-4900

R.H.CARLSON COMPANY,INC. -- NORCAST A4000 PART B -- 8040-01-027-4900

Product ID:NORCAST A4000 PART B MSDS Date:08/01/1991 FSC:8040 NIIN:01-027-4900 Kit Part:Y MSDS Number: CHHQH === Responsible Party === Company Name: R.H.CARLSON COMPANY, INC. Address:41-CHESTNUT STREET Box:1687 City:GREENWICH State:CT ZIP:06830-5921 Country:US Info Phone Num:203-531-5500 Emergenc y Phone Num:800-424-9300 CHEMTREC CAGE:33530 === Contractor Identification === Company Name: R.H.CARLSON COMPANY, INC. Address:41-CHESTNUT STREET Box:1687 City:GREENWICH State:CT ZIP:06830-5921 Country:US Phone:203-531-5500 CAGE:33530

Ingred Name:AMINOPROPYLTRIETHOXYSILANE OR GAMMA AMINO PROPYL TRIETHOXY SILANE Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MAY CAUSE IRRITATION. AVOID CONTACT WITH SKIN, EYES, CLOTHING. EYE CONTACT CAUSES SEVERE IRRITATION & MAY DAMAGE TISSUE. SKIN CONTACT MAY CAUSE MILD IRRITATION. INGESTION MAY PRODUCE ABDOMINAL PAIN. I NHALATION CAUSES MILD **RESPIRATORY IRRITATION.** Explanation of Carcinogenicity:NON E OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN. Effects of Overexposure: INHALED- MILD RESPIRATORY IRRITATION. SKIN-IRRITATION. EYES-SEVERE IRRITATION, DAMAGE EYE TISSUE. INGESTION-ABDOMINAL PAIN. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYES-FLUSH WITH WATER FOR 15 MINUTES, HOLD LIDS OPEN. GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP & WAT **ER. GET MEDICAL** ATTENTION IF SYMPTOMS PERSIST. INHALED-REMOVE TO FRESH AIR. RESTORE BREATHING AS N EEDED. GET MEDICAL ATTENTION. INGESTED-INDUCTION OF VOMITING DETERMINED BY MEDICAL PROFESSIONALS ONLY! IF CONSCIOUS, GIVE SEVERAL GLASSES WATER. SEEK IMMEDIATE MEDICAL ATTENTION. Flash Point Method:TOC Flash Point:220F,104C Extinguishing Media: USE SODIUM CHLORIDE, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE WATER BECAUSE OF REACTION. Fire Fighting Procedures: EVACUATE NON-ESSENTIAL PERSONNEL. WEAR IMPERVIOUS CLOTHING AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:WEAR PROTECTIVE CLOTHING & SPLASH GOGGLES. SOAK UP LIQUID WITH SUITABLE ABSORBENT SUCH AS SAWDUST, CLAY OR OIL ABSORBER. SWEEP UP ABSORBED MATERIAL & PLACE IN A CHEMICAL WASTE DRUM FOR SALVAGE OR DISP OSAL. WASH AREA WITH WATER & DETERGENT. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: AVOID CONTACT WITH SKIN & EYES. USE IN A WELL-VENTILATED AREA.

Other Precautions: PEOPLE USING CONTACT LENSES SHOULD TAKE EXTRA PRECAUTIONS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: THE MATERIAL SHOUL

D BE HANDLED IN AN OPEN OR WELL-VENTILATED AREA/MECHANICAL VENTIALTION.WHERE ADEQUATE VENTILATION IS NOT AVAILABLE, USE NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.WHERE EXPOSURE NECCESIT ATES, POSITIVE PRESSURE SCBA RECOMMENDED.

Ventilation: GOOD MECHANICAL VENTILATION IS SUGGESTED IN A CLOSED AREA. (DLA-HMIS: EXPLOSION-PROOF).

Protective Gloves: RUBBER GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment: PROTECTIVE APRON OR COVERALLS. EYE WASH STATION.

Work Hygienic

Practices: USE GOOD HYGENIC PRACTICES.

Supplemental Safety and Health

KEY1:N1. THIS IS PART B OF A 2-PART PRODUCT. FOR PART A, SEE PNI C, SAME NSN.

HCC:V5 Boiling Pt:B.P. Text:423F,217C Vapor Pres:10 Spec Gravity:0.943 Viscosity:1 CPS Evaporation Rate & amp; Reference: