

THIRD COAST PACKAGING INC -- 01854 ATF MERCON/DEXRON III -- 9150-01-114-9968

===== Product Identification =====

Product ID:01854 ATF MERCON/DEXRON III

MSDS Date:05/02/1996

FSC:9150

NIIN:01-114-9968

MSDS Number: CHHRH

=== Responsible Party ===

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77546

Country:US

Info Phone Num:281-482-9212

Emergenc

y Phone Num:281-482-9212

Chemtrec Ind/Phone:(800)424-9300

CAGE:0P418

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

Contract Num:SP0450-00-M-C234

CAGE:4N760

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77549

Country:US

Phone:281-482-9212;914-838-7204

CAGE:0P418

===== Composition/Information on I

ngredients =====

Ingred Name:SOLVENT REFINES LIGHT PARAFFINIC PETROLEUM DISTILS

CAS:64741-89-5

Minumum % Wt:50.

Maxumum % Wt:64.99

Other REC Limits:NONE RECOMMENDED

Ingred Name:SEVERELY SOLVENT REFINED SOLVENT-DEWAXED HEAVY PARAFFINIC  
PETROLEUM DISTILLATES

CAS:64742-65-0

RTECS #:PY8038501

Minumum % Wt:3.5

Maxumum % Wt:49.99

Other REC Limits:NONE RECOMMENDED

Ingred Name:DISTILLATES (PETROLEUM) HYDROTREATED LIGHT NAPHTHC

CAS:64742-53-6

Minumum % Wt:.1

Maxumum % Wt:2.99

Other REC Li  
mits:NONE RECOMMENDED

Ingred Name:POLYMETHACRYLATE

CAS:50867-55-5

Minumum % Wt:.1

Maxumum % Wt:2.99

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE-MAY CAUSE MINIMAL

IRRITATION. SKIN-MAY CAUSE SLIGHT IRRITATION. INHALATION-MAY CAUSE  
IRR

ITATION OF THE NOSE & THROAT. CHRONIC: NO ADVERSE EFFECTS HAVE  
BEEN DOCUMENTED IN HUMANS.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:EYES-TEMPORARY DISCOMFORT. SKIN-SEVERE

IRRITATION AND DISCOMFORT, SEEN AS LOCAL REDNESS AND SWELLING.

INHALATION- IRRITATION TO THE NOSE AND THROAT, HEADACHE, NAUSEA AND  
DROWSINESS. INGESTION- ABDOMIN AL DISCOMFORT, NAUSEA AND DIARRHEA  
MAY OCCUR.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS IRRITATING  
PROP

ERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN CONDITION) .

=====  
===== First Aid Measures =====

First Aid:EYE-FLUSH WITH PLENTY OF WATER FOR SEVERAL MINUTES. GET MEDICAL ATTENTION IF EYE IRRITATION PERSISTS. SKIN-WASH WITH PLENTY OF SOAP AND WATER FOR SEVERAL MINUTES. GET MEDICAL ATTENTION IF SKIN IRRITATION DEVELOPS OR PERSISTS. INGESTION-GIVE 2 GLASSES OF WATER (16 OZ). GET MEDICAL ATTENTION. INHALATION- REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING BECOMES DIFFICULT OR RESPIRATORY IRRITATION PERSISTS.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:201.7C, 395.F  
Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE TO EXTINGUISH FLAMES. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. WATER OR FOAM MAY CAUSE FROTHING.  
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND POSITIVE PRESSURE BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. PREVENT ENTRY INTO SEWERS AND WATERWAYS. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.  
Other Precautions:IF MORE THAN 1,142,857 POUNDS OF PRODUCT IS SPILLED, THEN REPORT SPILL ACCORDING TO SARA 304 AND/OR CERCLA 102(A) REQUIREMENTS, UNLESS PRODUCT QUALIFIES FOR THE PETROLEUM EXEMPTION (CERCLA SECTION 101 (14)).

=====  
===== Exposure Con

trols/Personal Protection =====

Respiratory Protection: AIRBORNE CONCENTRATIONS SHOULD BE KEPT TO LOWEST LEVELS POSSIBLE. IF VAPOR, MIST OR DUST IS GENERATED AND THE OCCUPATIONAL EXPOSURE LIMIT IS EXCEEDED, USE APPROPRIATE NIOSH OR MSHA APPROVED AIR PURIFYING OR AIR SUPPLIED RESPIRATOR. AIR SUPPLIED RESPIRATORS SHOULD ALWAYS BE WORN WHEN AIRBORNE CONCENTRATION OF THE CONTAMINANT OR OXYGEN CONTENT IS UNKNOWN.

Ventilation: ADEQUATE TO MEET COMPONENTS OCCUPATIONAL EXPOSURE LIMITS.

Protective Gloves: WORKERS SHOULD WASH SKIN SEVERAL TIMES.

Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES, FACE SHIELD

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: SOILED WORKING CLOTHES SHOULD BE LAUNDERED OR DRY-CLEANED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: V6

Boiling Pt: B.P. Text: N/D

Vapor Pres: N/D

Vapor Density: N/D

Spec Gravity: 0.869

VOC Pounds/Gallon: 38

Viscosity: 32.2 CS

T

Solubility in Water: NOT DETERMINED.

Appearance and Odor: RED LIQUID. SLIGHT ADDITIVE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: TOXIC LEVELS OF CARBON MONOXIDE, CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

===== Toxicological Information =====

Toxicological Information: N

OT PROVIDED

=====  
Ecological Information  
=====

Ecological:NOT PROVIDED

=====  
Disposal Considerations  
=====

Waste Disposal Methods:THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT MEET THE CRITERIA FOR A HZARDOUS WASTE IF DISCARDED IN ITS PURCHASED FORM.

=====  
MSDS Transport Information  
=====

Transport Information:NOT REGULATED

=====  
Regulatory Infor  
mation  
=====

Federal Regulatory Information:CERCLA DATA: CONTAINS: TOLUENE, CAS 108-88-3, 0.01-0.09%, RQ = 1000 LB; XYLENE, CAS 1330-20-7, 0.00875%, RQ = 100 LB; ETHYLBENZENE, CAS 100-41-4, 0.001675%, RQ = 1000 LB.

State Regulatory Information:NOT PROVIDED

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.