

B&B TRITECH,INC. -- 1995 -- 6850-01-234-0219

===== Product Identification =====

Product ID:1995

MSDS Date:05/15/1998

FSC:6850

NIIN:01-234-0219

MSDS Number: CHHSG

=== Responsible Party ===

Company Name:B&B TRITECH,INC.

Address:875 WEST 20TH STREET

City:HIALEAH

State:FL

ZIP:33010

Country:US

Info Phone Num:305-888-5247

Emergency Phone Num:305-888-5247

Resp. Party Other MSDS Num.:L-210-S1-R

Chemtrec

Ind/Phone:(800)424-9300

CAGE:LO516

=== Contractor Identification ===

Company Name:B & B TRITECH, INC.

Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310

Country:US

Phone:305-888-5247

Contract Num:SP0450-99-M-C170

CAGE:21361

Company Name:B & B TRITECH, INC.

Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310

Country:US

Phone:305-888-5247

Contract Num:SP0450-99-MC787

CAGE:21361

Company Name:B & B TRITECH, INC.

Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL
ZIP:33010-2310
Country:US
Phone:305-888-5247
Contract Num:SP0450-99-Q-A102
CAGE:21361
Company Name:B&B TRITECH,INC.
Address:875 WEST 20TH STREET
Box:City:HIALEAH
State:FL
ZIP:33010
Country:US
Phone:305-888-5247
CAGE:LO516

=====
===== Composition/Information on Ingredients =====

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROTREATED LIGHT DITILLATE (PETROLEUM)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE IRRITATION TO SKIN AND EYES.
Effects of Overexposure:IRRITATION

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. GET MEDICAL ATTENTION.

SKIN: FLUSH WITH SOAP AND WATER. INHALATION:
REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING. GET
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>61.1C, 142.F
Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE.
Fire Fighting Procedures:FULL FIREFIGHTER'S EQUIPMENT.
Unusual Fire/Explosion Hazard:RELEASES CARBON MONOXIDE AND/OR CARBON
DIOXIDE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR
SCOOP UP AND REMOVE. MOP, SQUEEGEE OR INDUSTRIAL VACUUM.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID
CONTACT WITH SKIN, EYES, AND CLOTHING. KEEP CONTAINERS CLOSED WHEN
NOT IN USE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT
REQUIRED.
Ventilation:USE WITH ADEQUATE VENTILATION.
Protective Gloves:CHEMICAL GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V4
Boiling Pt.=93.3C, 200.F
B.P. Text:ABOUT
Spec Gravity:0.98
VOC Pounds/Gallon:517
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:COMPLETE
Appearance and Odor:VISCIOUS LIQUID, MILD ODOR.

===== Stabil

ity and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZERS

Hazardous Decomposition Products: MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.