View NSN Online: https://aerobasegroup.com/nsn/6850-01-396-0163

SPECTRONICS CORP -- GS-3 -- 6850-01-396-0163

Product ID:GS-3

MSDS Date:04/10/1998

FSC:6850

NIIN:01-396-0163

MSDS Number: CHHXB === Responsible Party ===

Company Name: SPECTRONICS CORP Address: 956 BRUSH HOLLOW RD

Box:483

City:WESTBURY

State:NY ZIP:11950 Country:US

Info Phone Num:516-333-4840/800-274-8888

Emergency Phone Num:516-333-4840/800-424-9300(CHEMTREC)

CAGE :20772

=== Contractor Identification ===

Company Name: SPECTRONICS CORP

Address:956 BRUSH HOLLOW RD

Box:483

City:WESTBURY

State:NY ZIP:11590 Country:US

Phone:900-274-8888

CAGE:20772

======= Composition/Information on Ingredients ========

Ingred Name:FLUORESCENT DYE; NEW JERSEY TRADE SECRET REGISTRY NUMBER NJ EIN 80100312-5000P

CAS:68411-75-6

Fraction by Wt: 35 - 55%

Other REC Limits: NONE RECOMMENDED

Ingred Name:LUBRICANT OIL; NEW JERSEY TRADE SECRET REGISTRY NUMBER NJ EIN

80100312-5001P Fraction by Wt: 45 - 65% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST
========== Hazards Identification ===========
LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5,000 MG/KG. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE MILD EYE IRRITATION. PROLONGED/REPE ATED SKIN CONTACT MAY CAUSE IRRITATION. VAPORS CAN POSSIBLY CAUSE UPPER RESPIRATORY TRACT IRRITAT ION. HARMFUL IF INGESTED. MAY CAUSE GASTROINTESTINAL TRACT IRRITATION. CHRONIC-UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, NAUSEA, VOMITING Medical Cond Aggravated by Exposure:NONE
======================================
First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN: WASH WITH SOAP & WATER. EYE: FLUSH WI TH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED: MOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL: INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NOTE TO PHYSICIAN: TREATMENT SHOULD BE DIRECTED AT PREVENTING ABSORPTION, SUPPORTIVE THERAPY
======================================
Flash Point Method:SCC Flash Point:>185F,>85C Extinguishing Media:USE CARBON DIOXIDE (CO2), A LCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: IRRITATING OR TOXIC VAPORS MAY BE LIBERATED.

======== Accidental Release Measures ============

Spill Release Procedures: ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINER FOR CHEMICAL

